

## INDEX TO VOLUME 89

The Index for Volume 89 consists of three parts: (1) Author and Subject Index, (2) Fungus Taxa Index, and (3) Host Index.

### AUTHOR AND SUBJECT INDEX

- AM fungi 547-550  
 Abdullah, S. K. see Guarro, J., et al. 955-961  
 Adaptive radiation  
   in Ascomycetes 885-899  
 Al-Saadoon, A. H. see Guarro, J., et al. 955-961  
 Allen, M. F. see Harney, S. K., et al. 547-550  
 Allopatry  
   in Agaricales 566-577  
 Anagnost, S. E. see Worrall, J. J., et al. 199-219  
 Angular leaf spot disease  
   on beans 924-936  
 Animal pathogens 825-836  
 Antarctica 706-711  
 Apoptosis  
   in *Agaricus bisporus* 274-277  
 Aquatic ascomycetes 114-119  
 Aquatic insects 109-113  
 Arbuscular mycorrhiza 293-297, 547-550  
 Argentine agarics 278-288  
 Auto-inhibitor 916-923  
 Bacon, C. W. see White, J. F., Jr., et al. 408-419  
 Bark beetles 858-866  
 Barr, D. J. S. and N. L. Désaulniers Further studies on the flagellar apparatus in Oomycetes; anterior roots. 195-198  
 Barr, M. E. see Wilson, D., et al. 537-546  
 Bauer, R. see Piepenbring, M. and R. Bauer 924-936  
 Beech leaf disease  
   in Japan 494-502  
 Beetle parasites 325-331  
 Bell, A. and D. P. Mahoney Coprophilous fungi of New Zealand. II. *Podospora* species with coriaceous perithecia. 908-915  
 Bergdahl, D. R. see Jacobs, K., et al. 332-338  
 Bergero, R. see Sampò, S., et al. 837-845  
 Berndt, R. and F. Oberwinkler Haustorial ultrastructure and morphology of *Melampsorella* and *Thekopsora arcolata*. 698-705  
 Berton, M. D., N. Romero, P. V. Reddy, and J. F. White, Jr. A hypocrealean epibiont on meristems of *Baccharis coridifolia*. 375-382  
 Bianco, C. see Girlanda, M., et al. 531-536  
 Biocontrol 163-172  
 Biological Abstracts 19  
 Biological control  
   of gypsy moth 825-829  
 Biological species  
   in *Gibberella* 643-652  
 Błaskowski, J. and M. Tadych *Glomus multiforum* and *G. verruculosum*, two new species from Poland. 804-811  
 Błaskowski, J. *Glomus gibbosum*, a new species from Poland. 339-345  
 Black spot disease  
   of shiitake 867-875  
 Black yeasts 120-131  
 Blackspot  
   on Roses 103-108  
 Blanchette, R. A. *Haploporus odoratus*: A sacred fungus in traditional Native American culture of the northern plains. 233-240  
 Blanton, R. L. [Review of] The protistan cell surface. 819-820  
 Boletes 586-589  
 Book reviews 346-352, 819-823  
 Boucias, D. G. see Pendland, J. C. and D. G. Boucias 66-71  
 Branching  
   in *Cladina* 461-467  
 Brasier, C. M. see Milgroom, M. G. and C. M. Brasier 722-726  
 Brown rot 199-219  
 Bruns, T. D. see Garbelotto, M. M., et al. 92-102  
 Bruns, T. D. see Kretzer, A. and T. D. Bruns 586-589  
 Bud formation  
   in smuts 689-697  
 Buffa, G. see Sampò, S., et al. 837-845  
 Bunyard, B. A. see Nicholson, M. S., et al. 400-407  
 Börner, T. see Kuhls, K., et al. 442-460  
 Cabello, M. see Gaspar, L., et al. 37-42  
 Cabello, M. D. see Gaspar, M. L., et al. 610-614  
 Camacho, F. J. see Gernandt, D. S., et al. 735-744  
 Candoussau, F. see Samuels, G. J., et al. 141-155  
 Candoussau, F. see Samuels, G. J., et al. 156-162  
 Canker pathogen  
   of pine 525-530  
 Cantrell, S. A. and R. T. Hanlin Phylogenetic relationships in the family Hyaloscyphaceae inferred from sequences of ITS regions, 5.8S ribosomal DNA and morphological characters. 745-755  
 Cao, W.-Q. see Guo, S.-X., et al. 952-954  
 Cartwright, R. D., R. K. Webster, and C. M. Wick *Ascochyta mycoparasitica* sp. nov., a novel mycoparasite of *Sclerotium oryzae* in California rice fields. 163-172  
 Cell biology/ultrastructure 185-198, 353-374, 689-705  
 Cell cycle  
   in smuts 689-697  
 Chang, Y. C. see Kwon-Chung, K. J., et al. 244-249  
 Chemical control 468-480  
 Chen, W. see Fouly, H. M., et al. 590-597  
 Chironomidae 109-113  
 Chitin localization during mycoparasitism 185-194  
 Chitinase 867-875 localization during mycoparasitism 185-194  
 Chlamydospores 793-800, 967-970  
 Christias, C. see Zarani, F. and C. Christias. 598-602  
 Chung, K.-R. and C. L. Schardl Vegetative compatibility between and within *Epichloë* species. 558-565  
 Chytrids 772-776  
 Cigelnik, E. see O'Donnell, et al. 48-65  
 Clark, J. Myxomycete reproductive systems: *Stemonitis* species. 241-243  
 Cobb, F. W. see Garbelotto, M. M., et al. 92-102  
 Community dynamics 846-957  
 Community ecology 837-845  
 Complementation  
   in *Epichloë* 558-565  
 Conifer shoot blight 525-530  
 Coombes, J. W. see Hampson, M. C., et al. 772-776  
 Crassosporos  
   in *Amanita* 278-288  
 Cripps, C. L. The genus *Inocybe* in Montana aspen stands. 670-688  
 Crous, P. W., G. R. A. Mchau, W. H. Van Zyl, and M. J. Wingfield New species of *Calonectria* and *Cylindrocladium* isolated from soil in the tropics. 653-660  
 Cuban fungi 304-308  
 D-factors 722-726  
 Debnath, S. C. see Hampson, M. C., et al. 772-776  
 Desjardin, D. E. and D. E. Hemmes *Agaricales* of the Hawaiian Islands. 4: *Hygrophoraceae*. 615-638  
 Deuteromycetes 942-951  
 Developmental anatomy  
   in *Agaricus bisporus* 274-277  
 Dikaryotic haustoria  
   in rusts 698-705  
 Dimorphism  
   in *Nomuraea* 66-71  
 Discomycetes 745-755  
 Dullemans, A. M. see Julian, M. C., et al. 361-374  
 Dutch elm disease 722-726  
 Désaulniers, N. L. see Barr, D. J. S. and N. L. Désaulniers 195-198  
 Ecology 37-42, 199-232, 375-392, 525-550, 706-721, 837-866  
 Ectomycorrhizae 578-585, 712-721  
 Ectomycorrhizal synthesis  
   in *Pinus densiflora* 228-232  
 Edwards, F. S. see Harney, S. K., et al. 547-550  
 El-Khaty, M. S. T. see Shoukamy, M. A., et al. 830-836  
 Elkinton, J. S. see Hajek, A. E., et al. 825-829  
 Endemism  
   in Hawaiian agarics 615-638  
 Endophytes  
   of grasses 408-419  
   of *Quercus* 537-546  
   in *Artemisia californica* 547-550

- in pine 525-530
- Entomopathogen  
of gypsy moth 825-829  
of mosquito 830-836  
of soybean looper 66-71
- Entomopathogenic hyphomycetes 383-392
- Entomopathogens 383-392
- Epibionts  
on *Baccharis* 375-382
- Ergosterol inhibitors 468-480
- Erratum 557
- Ethnobotany 233-240
- Ethnomycology 233-240
- Exoenzymes  
in Oomycetes 777-785
- Extracellular matrix  
in Oomycetes 777-785
- Extreme environments 706-711
- Exudates  
from sclerotia 598-562
- Faeth, S. H. see Wilson, D., et al. 537-546
- Fai, L. see Guo, S.-X., et al. 952-954
- Fallah, P. M., C. A. Shearer, and W. Chen *Ascovaginospora stellipala* gen. et sp. nov. from sphagnum bogs. 812-818
- False morels 48-65
- Fargues, J., M. S. Goettel, N. Smits, A. Ouedraogo, and M. Rougier Effect of temperature on vegetative growth of *Beauveria bassiana* isolates from different origins. 383-392
- Ferrington, Jr., L. C. see Lichtwardt, R. W., et al. 109-113
- Figueras, M. J. see Mercado Sierra, A., et al. 304-308
- Financial report for FY1995-1996 360
- Flagellar apparatus  
in Oomycetes 195-198
- Forest canopy 712-721
- Forse, L. B. see Wilson, A. B. and L. B. Forse 468-480
- Fouly, H. M., H. T. Wilkinson, and W. Chen Restriction analysis of internal transcribed spacers and the small subunit gene of ribosomal DNA among four Gaeumannomyces species. 590-597
- Franken, P., L. Lapopin, G. Meyer-Gauen, and V. Gianinazzi-Pearson RNA accumulation and genes expressed in spores of the arbuscular mycorrhizal fungus, *Gigaspora rosea*. 293-297
- Freshwater ascomycetes 812-818
- Friesen, T. see Klein, K. K., et al. 916-923
- Fruit rots caused by *Colletotrichum* 420-430
- Fungal pathogens 867-875
- Fungicide resistance  
of *Phytophthora* 289-292
- Fungicolous fungi 141-162
- Gallegly, M. E. see Zhang, S., et al. 289-292
- Gao, R.-H., X.-Z. Liu, L.-P. Lei, and T.-F. Li *Dactylella attenuata* sp. nov. and *Dactylaria fusiformis* from Yunnan Province, China. 521-523
- Garbelotto, M. M., H. K. Lee, G. Slaughter, T. Poenuk, F. W. Cobb, and T. D. Bruns Heterokaryosis is not required for virulence of *Heterobasidium annosum* 92-102
- Gardner, D. E. *Botryosphaeria mamane* sp. nov., associated with witches'-brooms on the endemic forest tree *Sophora chrysophylla* in Hawaii. 298-303
- Gaspar, L., R. Pollero, & M. Cabello Variations in the lipid composition of alfalfa roots during colonization with the arbuscular mycorrhizal fungus *Glomus versiforme*. 37-42
- Gaspar, M. L., R. Pollero, and M. Cabello Partial purification and characterization of a lipolytic enzyme from spores of the arbuscular mycorrhizal fungus *Glomus versiforme*. 610-614
- Gaud, W. S. see States, J. and W. W. Gaud 712-721
- Gene expression  
in *Gigaspora* 293-297
- Genetics/Molecular Biology 43-47, 241-249, 393-399, 551-585, 722-726
- Genomic differences  
in species of *Filobasidiella* 244-249
- Gené, J. see Guarro, J., et al. 955-961
- Germ slit 967-970
- Gernandt, D. S., F. J. Camacho, and J. K. Stone *Meria laticis*, an anamorph of *Rhabdocline*. 735-744
- Gianinazzi-Pearson, V. see Franken, P., et al. 293-297
- Gill, W. M. see Tsuneda, A., et al. 867-875
- Girlanda, M., D. Isocrono, C. Bianco, and A. M. Luppi-Mosca Two foliose lichens as microfungial ecological niches. 531-536
- Glenn, A. E. see White, J. F., Jr., et al. 408-419
- Goettel, M. S. see Fargues, J., et al. 383-392
- Goos, R. D. Frank Leslie Howard, 1903-1997. 971-974
- Groth, J. V. see McCallum, B. D., et al. 551-557
- Growth stimulation  
of *Phytophthora* 289-292
- Guarro, J. see Stchigel, A. M. and J. Guarro 937-941
- Guarro, J., A. H. Al-Saadoon, J. Gené, and S. K. Abdullah Two new cleistothecial Ascomycetes from Iraq. 955-961
- Guo, L.-Y. see Michailides, T. J., et al. 603-609
- Guo, S.-X., L. Fai, W.-Q. Cao, J.-T. Xu, and P.-G. Xiao *Mycena anoetochila* sp. nov. isolated from mycorrhizal roots of *Anoetochilus roxburghii* from Xishuangbanna, China. 952-954
- Gut fungi 639-642
- Guthmiller, M. A. see Stanosz, G. R., et al. 525-530
- Hajek, A. E., J. S. Elkinton, and R. A. Humber Entomopathogenic hyphomycetes associated with gypsy moth larvae. 825-829
- Halling, R. E. see Tulloss, R. E. and R. E. Halling 278-288
- Halling, R. E. [Review of] Ainsworth and Bisby's Dictionary of the Fungi. 821-823
- Hammer, S. Branching dynamics in *Cladonia subtenuis*. 461-467
- Hammer, S. Growth dynamics in *Cladonia grayi*. 900-907
- Hampson, M. C., J. W. Coombes, and S. C. Debnath Dual culture of *Solanum tuberosum* and *Synchytrium endobioticum* (pathotype 2). 772-776
- Hanlin, R. T. see Cantrell, S. A. and R. T. Hanlin 745-755
- Harada, Y. see Wei, C. S., et al. 494-502
- Harney, S. K., F. S. Edwards, and M. F. Allen Identification of arbuscular mycorrhizal fungi from *Artemisia californica* using the polymerase chain reaction. 547-550
- Harrington, F. A. and D. Potter Phylogenetic relationships within *Sarcoscypha* based upon nucleotide sequences of the internal transcribed spacer of nuclear ribosomal DNA. 258-267
- Harrington, T. C. see Hsiau, P. T. W. and T. C. Harrington 661-669
- Hassan, S. K. M. see Shoulkamy, M. A., et al. 830-836
- Hawaiian fungi 298-303, 615-638
- Hayford, B. L. see Lichtwardt, R. E., et al. 109-113
- Heat shock 786-792
- Hemibiotroph 793-800
- Hemmes, D. E. see Desjardin, D. E. and D. E. Hemmes 615-638
- Hennen, J. F. *Uredo vetus* sp. nov., the first record of a rust on *Selaginella*, and the use of the name *Uredo*. 801-803
- Herbicides affects on *Sclerotinia* 82-88
- Heritability  
in *Laccaria* 578-585
- Herrera, J., C. L. Kramer, and O. J. Reichman Patterns of fungal communities that inhabit rodent food stores: effect of substrate and infection time. 846-857
- Heterokaryons  
in *Epichloë* 558-565  
in *Heterobasidium* 92-102
- Heterothallism  
in slime molds 241-243  
in *Thanatephorus* 361-374
- Hill, T. W. see Money, N. P. and T. W. Hill 777-785
- Holst-Jensen, A., L. M. Kohn, and T. Schumacher Nuclear rDNA phylogeny of the *Sclerotiniaceae*. 885-899
- Homokaryons  
in *Heterobasidium* 92-102
- Homothallism  
in *Thanatephorus* 361-374
- Hong, S. G. see Ko, K. S., et al. 727-726
- Hood, M. E. and H. D. Shew The influence of nutrients on development, resting hyphae and aleuriospore induction of *Thielaviopsis basicola*. 793-800
- Horgen, P. A. see Robison, M. M., et al. 43-47
- Horváth, Zs. see Vetter, J., et al. 481-483
- Host resistance  
in *Roses* 103-108
- Hsieh, L. S., S. S. Tzean, and W. J. Wu The genus *Akanthomyces* on spiders from Taiwan. 319-324
- Hsiau, P. T.-W. and T. C. Harrington *Ceratocystis brevicornis* sp. nov., a mycangial fungus from *Dendroctonus brevicornis* (Coleoptera: Scolytidae). 661-669

- Hsieh, L. S. see Tzean, S. S., et al. 309-318
- Hughes, K. W. see Petersen, R. H. and K. W. Hughes 173-180
- Humber, R. A. see Hajek, A. E., et al. 825-829
- Hyde, K. D. see Shearer, C. A. and K. D. Hyde 114-119
- Hyphal growth in Oomycetes 777-785
- Hyphodermas from Taiwan 132-140
- Hyphomycetes in Antarctica 706-711
- Immunocytochemistry in mycoparasitism 185-194
- Immunostaining of *Achlya* 89-91
- Incompatibility in basidiomycetes 24-36
- Indigenous people of North America 233-240
- Inoperculate discomycetes 735-744
- Insect pathogen 66-71
- Insect pathology 825-836
- Instructions to Authors for 1997 181-183
- Interspecific hybridization in *Epichloë* 558-565
- Introns in discomycetes 735-744
- Iodine reaction in discomycetes 735-744
- Island biogeography 537-546
- Isocrono, D. see Girlanda, M., et al. 531-536
- Isozymes in *Ceratocystopsis* 661-669
- in mycangial fungi 858-866
- Ito, T. see Nakagiri, A. and T. Ito 484-493
- Jacobs, K., M. J. Wingfield, and D. R. Bergdahl A new *Ophiostoma* species with a graphium anamorph from *Larix laricina* in eastern North America. 332-338
- Jaffee, B. A. see Koppenhöfer, A. M., et al. 220-227
- Johnson, J. E. and R. H. Petersen Mating systems in *Xeromphalina* species. 393-399
- Johnston, P. R. and D. Jones Relationships among *Colletotrichum* isolates from fruit-rots assessed using rDNA sequences. 420-430
- Johnstone, K. see Weinstein, R. N., et al. 706-711
- Jones, D. see Johnston, P. R. and D. Jones 420-430
- Ju, Y.-M. see Van der Gucht, K., et al. 503-511
- Julian, M. C., A. M. Dulleman, C. H. van Silfhout, and J. Keijer Nuclear behavior in homokaryotic and heterokaryotic fruiting of *Thanatephorus cucumeris* (*Rhizoctonia solani*) anastomosis group 1, subgroup IC. 361-374
- Jung, H. S. see Ko, K. S., et al. 727-734
- Katamoto, K. see Wei, C. S., et al. 494-502
- Kawai, M. Artificial ectomycorrhiza formation on roots of air-layered *Pinus densiflora* saplings by inoculation with *Lyophyllum shimeji*. 228-232
- Keijer, J. see Julian, M. C., et al. 361-374
- Keller, H. W. [Review of] *Die Myxomyceten Deutschlands und des angrenzenden Alpenraumes unter besonderer Berücksichtigung Österreichs*. 351-352
- Kerrigan, R. W. see Robison, M. M., et al. 43-47
- Key to *Akanthomyces* 324
- to *Balanisia* subgenus *Dothichloë* 411
- to *Calonectria* spp. with *Cylindrocladium* anamorphs with 1-septate conidia 659
- to *Gibellula* from Taiwan 317
- to Hawaiian *Hygrophoraceae* 616-617
- to *Helminthosphaeria* 145
- to *Inocybe* in Montana aspen stands 671-672
- to New Zealand sp. of *Podospora* with coriaceous perithecia 908-909
- to *Phragmopathula* 308
- to *Valsonectria* species 515 (dichotomous)
- to *Hypoxylen* section *Hypoxylen* 507-509 (dichotomous)
- to *Hypoxylen* section *Annulata* 509-510 (synoptic)
- to *Hypoxylen* section *Hypoxylen* 510-511 (synoptic)
- to *Hypoxylen* section *Annulata* 510-511
- Kim, K. S. see Kristyanne, E. S., et al. 353-360
- Klein, K. K., J. Landry, T. Friesen, and T. Larimer Kinetics of asymmetric mycelial growth and control by dikaryosis and light in *Schizophyllum commune*. 916-923
- Klittich, C. J. R., J. F. Leslie, P. E. Nelson, and W. F. O. Marasas *Fusarium thapsinum* (*Gibberella thapsina*): A new species in section *Liseola* from sorghum. 643-652
- Ko, K. S., S. G. Hong, and H. S. Jung Phylogenetic analysis of *Trichaptum* based on nuclear 18S, 5.8S and ITS ribosomal DNA sequences. 727-734
- Kohn, L. M. see Holst-Jensen, A., et al. 885-899
- Koppenhöfer, A. M., B. A. Jaffee, A. E. Muldoon, and D. R. Strong Suppression of an entomopathogenic nematode by the nematode-trapping fungi *Geniculifera paucispora* and *Monacrosporium eudermatum* as affected by the fungus *Arthrobotrys oligospora*. 220-227
- Koppenhöfer, A. M., B. A. Jaffee, A. E. Muldoon, and D. R. Strong Suppression of an entomopathogenic nematode by the nematode-trapping fungi *Geniculifera paucispora* and *Monacrosporium eudermatum* as affected by the fungus *Arthrobotrys oligospora*. 557 [erratum]
- Kramer, C. L. see Herrera, J., et al. 846-857
- Kretzer, A. and T. D. Bruns Molecular revision of the genus *Gastrosuillus*. 586-589
- Krisai-Greilhuber, I. see Voglmayr, H. and I. Krisai-Greilhuber 942-951
- Kristyanne, E. S., K. S. Kim, and J. McD. Stewart Magainin 2 effects on the ultrastructure of five plant pathogens. 353-360
- Kropp, B. R. Inheritance of the ability for ectomycorrhizal colonization of *Pinus strobus* by *Laccaria bicolor*. 578-585
- Kubicek, C. P. see Kuhls, K., et al. 442-460
- Kuhls, K., E. Lieckfeldt, G. J. Samuels, W. Meyer, C. P. Kubicek, and T. Börner Revision of *Trichoderma* sect. *Longibrachiatum* including related teleomorphs based on analysis of ribosomal DNA internal transcribed spacer sequences. 442-460
- Kuldau, G. A., J.-S. Liu, J. F. White, Jr., M. R. Siegel, and C. L. Schardl Molecular systematics of *Clavicipitaceae* supporting monophyly of genus *Epichloë* and form genus *Ephelis*. 431-441
- Kwon-Chung, K. J., Y. C. Chang, and L. Penoyer Species of the genus *Filobasidiella* differ in the organization of their 5S rRNA genes. 244-249
- Landry, J. see Klein, K. K., et al. 916-923
- Lapopin, L. see Franken, P., et al. 293-297
- Larch pathogen 332-338
- Larimer, T. see Klein, K. K., et al. 916-923
- Lee, H. K. see Garbelotto, M. M., et al. 92-102
- Leslie, J. F. see Klittich, C. J. R., et al. 643-652
- Lichen architecture 900-907
- Lichen-associated microfungi 531-536
- Lichenicolous fungi 531-536
- Lichtwardt, R. W., M. C. Williams, L. C. Ferrington, Jr., and B. L. Hayford *Harpellales*: generic confusion due to precocious development. 109-113
- Liddell, C. [Review of] Interfuneral parasitic relationships. 348-349
- Lieckfeldt, E. see Kuhls, K., et al. 442-460
- Life histories 1-23
- Liou, G. Y. and S. S. Tzean Phylogeny of the genus *Arthrobotrys* and allied nematode-trapping fungi based on rDNA sequences. 876-884
- Lipase activity in *Glomus* 610-614
- Liu, J.-S. see Kuldau, G. A., et al. 431-441
- Louis-Seize, G. see Seifert, K. A., et al. 250-257
- Lucarotti, C. J. see Shoulkamy, M. A., et al. 830-836
- Luppi-Mosca, A. M. see Girlanda, M., et al. 531-536
- Luppi-Mosca, A. M. see Sampò, S., et al. 837-845
- Lycophyta 801-803
- Maekawa, N. see Tsuneda, A., et al. 867-875
- Magainin 2 effects on ultrastructure 353-360
- Magni, J.-F. see Samuels, G. J., et al. 156-162
- Magni, J.-F. see Samuels, G. J., et al. 141-155
- Mahoney, D. P. see Bell, A. and D. P. Mahoney 908-915
- Manocha, M. S. and Z. Zhongua Immunocytochemical and cytochemical localization of chitinase and chitin in the

- infected hosts of a biotrophic mycoparasite, *Piptocephalis virginiana*. 185-194
- Marasas, W. F. O. see Klittich, C. J. R., et al. 643-652
- Mating studies  
in *Hypocreales* 653-660
- Mating systems  
in *Epichloë* 431-441  
in *Pleurotus* 173-180  
in *Xeromphalina* 393-399
- Mating types  
in *Ceratocystiopsis* 661-669
- McCallum, B. D., J. V. Groth, and A. P. Roelfs Mendelian inheritance of teliospore production in *Uromyces appendiculatus*. 551-557
- McCann, M. P. see Snetselaar, K. M. and M. P. McCann 689-697
- Mchau, G. R. A. see Crous, P. W., et al. 653-660
- Medline 19
- Membrane active peptides 353-360
- Memorial 971-974
- Mena Portales, J. see Mercado Sierra, A., et al. 304-308
- Mercado Sierra, A., J. Mena Portales, and M. J. Figueras Revision of the genus *Phragmospaula*. 304-308
- Meristems  
in lichens 461-467, 900-907
- Meyer, W. see Kuhls, K., et al. 442-460
- Meyer-Gauen, G. see Franken, P., et al. 293-297
- Michailides, T. J., L.-Y. Guo, and D. P. Morgan Factors affecting zygosporeogenesis in *Mucor piriformis* and *Gilbertella persicaria*. 603-609
- Microbial control  
of insects 383-392
- Microbial ecology 706-711
- Microfungal diversity 846-857
- Microfungal populations 846-857
- Milgroom, M. G. and C. M. Brasier Potential diversity in vegetative compatibility types of *Ophiostoma novo-ulmi* in North America. 722-726
- Miller, J. D. [Review of] Health implications of fungi in indoor environments, air quality monographs. 346-347
- Mitospore fungi 942-951
- Molecular Evolution 48-65, 250-267, 400-460, 586-597, 727-771, 876-899
- Money, N. P. and T. W. Hill Correlation between endoglucanase secretion and cell wall strength in oomycete hyphae: implications for growth and morphogenesis. 777-785
- Monophyly  
in *Epichloë* 431-441  
of *Ephelex* 431-441  
of *Trichoderma* sect. *Longibrachiatum* 442-460
- Morels 48-65
- Morgan, D. P. see Michailides, T. J., et al. 603-609
- Morphology/Development 66-81, 268-288, 461-467, 598-602, 772-776, 900-915
- Morton, J. B. see Stürmer, S. L. and J. B. Morton 72-81
- Mosquito pathogens of 830-836
- Muldoon, A. E. see Koppenhöfer, A. M., et al. 220-227
- Mullins, J. T. see Shapiro, A. and J. T. Mullins 89-91
- Murakami, S. see Tsuneda, A., et al. 867-875
- Murphy, J. F. Intersterility groups in *Collybia subnuda*. 566-577
- Mycangial fungi 858-866
- Mycoparasite  
of *Sclerotium* 163-172
- Mycoparasitism 185-194
- Mycorrhizae 804-811
- Mycorrhizal agarics  
with aspen 670-688
- Nakagiri, A. and T. Ito *Retrostium amphiroae* gen. et sp. nov. inhabiting a marine red alga, *Amphiroa zonata*. 484-493
- Nelson, P. E. see Klittich, C. J. R., et al. 643-652
- Nematode trapping 1-23
- Nematode trapping fungi 876-884
- in a coastal shrubland 220-227
- Nematophagous fungi 1-23, 876-884
- Nicholson, M. S., B. A. Bunyard, and D. J. Royse Phylogeny of the genus *Lentinula* based on ribosomal DNA restriction fragment length polymorphism analysis. 400-407
- Nitrate utilization  
in *Epichloë* 558-565
- Nuclear behavior  
in *Thanatephorus* 361-374
- O'Donnell, K., E. Cigelnik, N. S. Weber, and J. M. Trappe Phylogenetic relationships among ascomycetous truffles and the true and false morels inferred from 18S and 28S ribosomal DNA sequence analysis. 48-65
- Oak wilt 468-480
- Oberwinkler, F. see Berndt, R. and F. Oberwinkler 698-705
- Ogawa, H., A. Yoshimura, and J. Sugiyama Polyphyletic origins of species of the anamorphic genus *Geosmithia* and the relationships of the cleistothecial genera: evidence from 18S, 5S and 28S rDNA sequence analyses. 756-771
- Ontogeny  
in VAM fungi 804-811
- Orchid mycorrhizae 952-954
- Ouedraogo, A. see Fargues, J., et al. 383-392
- Paine, T. D. see Six, D. L. and T. D. Paine 858-866
- Palm, M. E. [Review of] The genus *Alternaria*: Biology, epidemiology, and pathogenicity. 347-348
- Palm, M. E. see Weinstein, R. N., et al. 706-711
- Panaccione, D. G. see Zhang, S., et al. 289-292
- Papua New Guinean Hypoxylons 503-511
- Parasites  
of red algae 484-493
- Pattern formation 916-923
- Pendland, J. C. & D. G. Boucias  
In vitro growth of the entomopathogenic hyphomycete *Nomuraea rileyi*. 66-71
- Penoyer, L. see Kwon-Chung, K. J., et al. 244-249
- Perithecial development  
in coprophilous fungi 908-915
- Petersen, R. H. see Johnson, J. E. and R. H. Petersen 393-399
- Petersen, R. H. and K. W. Hughes A new species of *Pleurotus*. 173-180
- Pfister, D. H. Castor, Pollux and life histories of fungi. 1-23
- Phellophytes  
in pine 525-530
- Phylogenetic relationships  
in euscomycetes 756-771  
in Hyphomycetes 250-257
- Phylogeny  
in Hyaloscyphaceae 745-755  
in Sarcoscypha 258-267  
of boletes 586-589  
of *Gaeumannomyces* 590-597  
of *Lentinula* 400-407  
of shiitake 400-407  
of *Trichaptum* 727-734  
of *Trichoderma* 442-460
- Physiology/Biochemistry 82-91, 289-297, 468-483, 603-614, 777-792, 916-923
- Piepenbring, M. and R. Bauer *Eratomyces*, a new genus of Tilletiales with species on Leguminosae. 924-936
- Plant Pathogens 92-108, 298-303, 793-803
- Plant parasites 885-899
- Plant pathogens 924-936
- Plasmids  
in *Agaricus* 43-47
- Poenuk, F. W. see Garbelotto, M. M., et al. 92-102
- Polish fungi 39-345
- Pollero, R. see Gaspar, L., et al. 37-42
- Pollero, R. see Gaspar, M. L., et al. 610-614
- Polyphyly  
in ascomycetes 756-771
- Polyspory  
in Ascomycetes 962-966
- Population structure  
of Dutch elm disease 722-726
- Portrait  
Howard, F. L. 972  
Pfister, D. H. 2
- Postharvest pathogens 603-609
- Potter, D. see Harrington, F. A. and D. Potter. 258-267
- Presidential address 1-23
- Ramaley, A. W. Barrina, a new genus with polysporous asci. 962-966
- Reddy, P. V. see Bertoni, M. D., et al. 375-382
- Reddy, P. V. see White, J. F., Jr., et al. 408-419
- Reichard, S. L., R. M. Sulc, and L. H. Rhodes Growth and reproduction of *Sclerotinia trifoliorum* as influenced by herbicides. 82-88
- Reichman, O. J. see Herrera, J., et al. 846-857
- Relationships among *Colletotrichum* isolates 420-430
- Reproduction  
in slime molds 241-243
- Review 24-36
- Rhodes, L. H. see Reichard, S. L., et al. 82-88
- Robison, M. M., R. W. Kerrigan, & P. A. Horgen Distribution of plasmids and a plasmid-like mitochondrial sequence in the genus *Agaricus*. 43-47
- Roelfs, A. P. see McCallum, B. D., et al. 551-557
- Rogers, J. D. see Van der Gucht, K., et al. 503-511
- Romero, N. see Bertoni, M. D., et al. 375-382
- Rougier, M. see Fargues, J., et al. 383-392
- Royce, D. J. see Nicholson, M. S., et al. 400-407
- Rust  
on fern allies 801-803
- Rust fungi 551-557
- Saikawa, M. Light and electron



- microscopy of *Zoophagus tentaculum*, a rediscovered rotifer-capturing aquatic fungus from Japan. 268-273
- Salt shock 786-792
- Salt tolerance 786-792
- Sampling methodology 712-721
- Sampò, S., R. Bergero, G. Buffa, and A. M. Luppi-Mosca Soil fungal communities in a young and an old *Alnus viridis* coenosis. 837-845
- Samuels, G. J. see Kuhl, K., et al. 442-460
- Samuels, G. J. see Seifert, K. A. and G. J. Samuels 512-520
- Samuels, G. J., F. Candoussau, and J.-F. Magni Fungicolous pyrenomycetes 1. *Helminthosphaeria* and the new family *Helminthosphaeriaceae*. 141-155
- Samuels, G. J., F. Candoussau, and J.-F. Magni Fungicolous pyrenomycetes 2. *Ascodinaea*, gen. nov., and reconsideration of *Litschaueria*. 156-162
- San Francisco, M. [Review of] Fungal physiology. 349-350
- Santamaria, S. Species of *Corethromyces* parasitic on rove beetles of the genus *Scopaeus*. 325-331
- Santamaria, S. *Lancisporomyces*, a new genus of *Trichomyces* with lance-shaped zygospores. 639-642
- Savard, M. E. see Seifert, K. A., et al. 250-257
- Schardl, C. L. see Kuldau, G. A., et al. 431-441
- Schardl, C. L. see Chung, K.-R. and C. L. Schardl. 558-565
- Schumacher, T. see Holst-Jensen, A., et al. 885-899
- Sclerotia 598-562
- Secotoid boletes 586-589
- Seed germination 952-954
- Seifert, K. A. and G. J. Samuels Two new hypocrealean fungi with synnematus anamorphs. 512-520
- Seifert, K. A., G. Louis-Seize, and M. E. Savard The phylogenetic relationships of two trichothecene-producing hyphomycetes, *Spicellum roseum* and *Trichothecium roseum*. 250-257
- Seral succession 837-845
- Sexual reproduction in rusts 551-557
- Sexual systems in Agaricales. 393-399
- Shapiro, A. and J. T. Mullins Localization of cytoplasmic water-soluble reserve (1->3)-glucans in *Achlya* with immunostaining. 89-91
- Shearer, C. A. and K. D. Hyde *Massarina ingoldiana*, a new ascomycete from freshwater habitats. 114-119
- Shew, H. D. see Hood, M. E. and H. D. Shew 793-800
- Shiitake 867-875
- Shoulkamy, M. A., C. J. Lucarotti, M. S. T. El-Katny, and S. K. M. Hassan Factors affecting *Coelomomyces stegomyiae* infections in adult *Aedes aegypti*. 830-836
- Siegel, M. R. see Kuldau, G. A., et al. 431-441
- Siller, I. see Vetter, J., et al. 481-483
- Six, D. L. and T. D. Paine *Ophiostoma clavigerum* is the mycangial fungus of the Jeffrey pine beetle, *Dendroctonus jeffreyi*. 858-866
- Slaughter, G. see Garbelotto, M. M., et al. 92-102
- Smith, D. R. see Stanosz, G. R., et al. 525-530
- Smits, N. see Fargues, J., et al. 383-392
- Smut fungi 924-936
- Snetselaar, K. M. and M. P. McCann Using microdensitometry to correlate cell morphology with the nuclear cycle in *Ustilago maydis*. 689-697
- Soft rot 199-219
- Soil ecology 220-227
- Soil fungi 837-845, 937-941
- Soil isolates of *Hypocreales* 653-660
- Spider parasites 09-324
- Spore differentiation in *Glomus* 72-81
- Spore homogenates 610-614
- Spore metabolism in *Gigaspora* 293-297
- Spore ontogeny in *Glomus* 72-81
- Stanosz, G. R., D. R. Smith, M. A. Guthmiller, and J. C. Stanosz Persistence of *Sphaeropsis sapinea* on or in asymptomatic shoots of red and jack pines. 525-530
- Stanosz, J. C. see Stanosz, G. R., et al. 525-530
- States J. and W. S. Gaud Ecology of hypogeous fungi associated with *Ponderosa* pine. I. Patterns of distribution and sporocarp production in some Arizona forests. 712-721
- Stchigel, A. M. and J. Guarro A new species of *Emericella* from Indian soil. 937-941
- Stewart, J. McD. see Kristyenne, E. S., et al. 353-360
- Stone, J. K. see Gernandt, D. S., et al. 735-744
- Stonefly nymphs 639-642
- Storage polysaccharides in *Achlya* 89-91
- Strong, D. R. see Koppenhöfer, A. M., et al. 220-227
- Stürmer and J. B. Morton Developmental patterns defining morphological characters in spores of four species in *Glomus*. 72-81
- Sub-antennal 837
- Sugiyama, J. see Ogawa, H., et al. 756-771
- Sulc, R. M. see Reichard, S. L., et al. 82-88
- Sympatry in Agaricales 566-577
- Systematics 109-180, 304-345, 484-523, 615-688, 804-818, 876-899, 937-970
- Tadych, M. see Blaszkowski, J. and M. Tadych 804-811
- Taiwanese fungi 09-324
- Taylor, J. see Wiggers, R. J., et al. 103-108
- Teleomorph-anamorph connections 756-771
- Temperature effects on an entomopathogenic hyphomycete. 383-392
- Thallus morphogenesis in lichens 461-467, 900-907
- Thermotolerance 786-792
- Tip growth in Oomycetes 777-785
- Torzilli, A. P. Tolerance to high temperature and salt stress by a salt marsh isolate of *Aureobasidium pullulans*. 786-792
- Traditional medicine 233-240
- Trappe, J. M. see O'Donnell, K., et al. 48-65
- Triacylglycerol hydrolysis 610-614
- Triacylglycerols 37-42
- Triazole fungicides 468-480
- Trichomycetes 109-113
- Trichothecene-producers 250-257
- Tropical fungi 304-308
- Truffles 48-65
- Tsueda, A., S. Murakami, W. M. Gill, and N. Maekawa Black spot disease of *Lentinula edodes* caused by the *Hyphozyma synanamorph* of *Eleutheromyces subulatus*. 867-875
- Tulloss, R. E. and R. E. Halling Type studies of *Amanita morenoi* and *Amanita pseudopreta* and a reinterpretation of crassospores in *Amanita*. 278-288
- Turgor pressure in Oomycetes 777-785
- Tzean, S. S. see Hsieh, L. S., et al. 319-324
- Tzean, S. S. see Liou, G. Y. and S. S. Tzean 876-884
- Tzean, S. S., L. S. Hsieh, and W. J. Wu The genus *Gibellula* on spiders from Taiwan. 309-318
- Ultrastructure in *Amanita basidiospores* 278-288
- in *Agaricus bisporus* 274-277
- in Oomycete zoospores 195-198
- of rotifer-trapping fungi 268-273
- Umar, M. H. and L. J. L. D. Van Griensen Morphogenetic cell death in developing primordia of *Agaricus bisporus*. 274-277
- Untereiner, W. A. Taxonomy of selected members of the ascomycete genus *Capronia* with notes on anamorph-teleomorph connections. 120-131
- VAM fungi 804-811
- Van Griensen, L. J. L. D. see Umar, M. H. and L. J. L. D. Van Griensen 274-277
- Van Zyl, W. H. see Crous, P. W., et al. 653-660
- Van der Gucht, K., Y.-M. Ju, and J. D. Rogers New *Hypoxylon* species from Papua New Guinea and notes on some other taxa. 503-511
- Verkley, G. J. M. and H. A. van der Aa *Endomelanconium microsporum*, a new coelomycete isolated from soil in Papua New Guinea. 967-970
- Vertebrate interactions with fungi 846-857
- Vetter, J., I. Siller, and Zs. Horváth Zinc content of sporocarps of basidiomycetous fungi. 481-483
- Virulence in *Heterobasidium* 92-102
- Voglmayr, H. and I. Krisai-Greilhuber *Pseudoclathrosphaeria evamariae* gen. et sp. nov. and *Sympodioclathra globosa* gen. et sp. nov., two new

- aeroaquatic fungi similar to *Clathrosphaerina*. 942-951
- Wart disease of potato 772-776
- Weber, N. S. see O'Donnell, et al. 48-65
- Webster, R. K. see Cartwright, R. D., et al. 163-172
- Wei, C. Z., Y. Harada, and K. Katumoto *Pseudodidymella fagi* gen. et sp. nov. and its hyphomycete anamorph *Pycnoplosporina fagi* gen. et sp. nov. on *Fagus crenata* in Japan. 494-502
- Weinstein, R. N., M. E. Palm, K. Johnstone, and D. D. Wynn-Williams Ecological and physiological characterization of *Humicola marvinii*, a new psychrophilic fungus from fellfield soils in the maritime Antarctic. 706-711
- West, J. G. see Wiggers, R. J., et al. 103-108
- Western pine beetle 661-669
- White rot 199-219
- White, J. F., Jr. see Bertoni, M. D., et al. 375-382
- White, J. F., Jr. see Kulda, G. A., et al. 431-441
- White, J. F., Jr., P. V. Reddy, A. E. Glenn, and C. W. Bacon An examination of structural features and relationships in *Balansia* subgenus *Dothichloë*. 408-419
- Wick, C. M. see Cartwright, R. D., et al. 163-172
- Wicklow, D. T. [Review of] *Aspergillus*. 350-351
- Wiggers, R. J., J. G. West, and J. Taylor Conidial germination and infection by *Diplocarpon rosae* on susceptible and resistant rose species. 103-108
- Wildman, H. G. [Review of] Modern fungicides and antifungal compounds. 820-821
- Wilkinson, H. T. see Fouly, H. M., et al. 590-597
- Williams, M. C. see Lichtwardt, R. W., et al. 109-113
- Wilson, A. D. and L. B. Forse Sensitivity of Texas strains of *Ceratocystis fagacearum* to triazole fungicides. 468-480
- Wilson, D., M. E. Barr, and S. H. Faeth Ecology and description of a new species of *Ophiognomonia* endophytic in the leaves of *Quercus emoryi*. 537-546
- Wingfield, M. J. see Jacobs, K., et al. 332-338
- Wingfield, M. J. see Crous, P. W., et al. 653-660
- Witches'-brooms in Hawaii 298-303
- Wood decay 199-219
- Worrall, J. J. Somatic incompatibility in basidiomycetes. 24-36.
- Worrall, J. J., S. E. Anagnost, and R. A. Zabel Comparison of wood decay among diverse lignicolous fungi. 199-219
- Wu, S.-H. New species of *Hyphoderma* from Taiwan. 132-140
- Wu, W. J. see Tzean, S. S., et al. 309-318
- Wu, W. J. see Hsieh, L. S., et al. 319-324
- Wynn-Williams, D. D. see Weinstein, R. N., et al. 706-711
- Xiao, P.-G. see Guo, S.-X., et al. 952-954
- Xu, J.-T. see Guo, S.-X., et al. 952-954
- Yoshimura, A. see Ogawa, H., et al. 756-771
- Zabel, R. A. see Worrall, J. J., et al. 199-219
- Zarani, F. and C. Christias Sclerotial biogenesis in the basidiomycete *Sclerotium rolfsii*. A scanning electron microscope study. 598-602
- Zhang, S., D. G. Panaccione, and M. E. Gallegly *Metaxyl* stimulation of growth of isolates of *Phytophthora infestans*. 289-292
- Zhongua, Z. see Manocha, M. S. and Z. Zhongua 185-194
- Zinc in basidiomycetes 481-483
- Zygosporogenesis in *Mucors* 603-609
- van Silfhout, C. H. see Julian, M. C., et al. 361-374
- van der Aa, H. A. see Verkeley, G. J. M. and H. A. van der Aa 967-970

## FUNGUS TAXA INDEX

The names of new taxa and the pages on which they are published are in boldface.

Illustrations are indicated by the letter following the page number on which the figure(s) occur.

- Abisidia* 850  
*coerulea* 533, 840  
*glauca* 168, 170, 533  
*Acanthostigmella* 120  
*Acarosporium* 890  
*Acaulospora* 72, 547, 807  
*cavernata* 809  
*excavata* 809  
*foveata* 809  
*gerdemannii* 807, 809  
*laevis* 548, 548f, 549, 549f  
*rugosa* 343  
*Achlya* 89, 91, 782, 783  
*ambisexualis* 777-780, 781f, 782  
*bisexualis* 89, 90f, 777-780, 782, 780f-782f  
*Aciculosporium*  
*take* 255f  
*Acremonium* 532, 534, 756, 762, 766, 767, 769, 850  
 sect. *Albo-lanosa* 432  
*alternatum* 761, 767f  
*bactrocephalum* 841  
*butyri* 533  
*chrysogenum* 380f, 761, 766, 767f  
*kiliense* 533  
*murorum* 841  
*persicinum* 248, 761, 766, 767f  
*sclerotigenum* 841  
 sp. 170, 202, 840  
 spp. 766  
*strictum* 170, 380f, 533  
*terricola* 170  
*Acremonium*-like 519  
*Actinostilbe* 512, 520  
*Agaricus* 43, 44f, 45-47, 46f, 481, 483  
*benesii* 44  
*bernardii* 44-46, 44f, 46f  
*bisporus* 43, 44, 47, 274, 277  
*bitorquis* 43-47, 44f, 46, 46f, 47  
*californicus* 44  
*campestris* 44  
*crocodilinus* 44  
*cuniculicola* 44, 44f, 45  
*cupreo-brunneus* 44  
*edodes* 400  
*fuscifibrillosus* 44, 44f, 45  
*liliceps* 44  
*micromegathus* 44  
*nivescens*  
 var. *parkensis* 44  
*pattersoniae* 44, 44f, 45, 46f  
*rubribrunnescens* 44  
*spissicaulis* 44, 44f, 45  
 spp. 43, 44  
*subfloccosus* 44, 45  
*subperonatus* 44  
*subrufescens* 44  
*subrutilescens* 44, 44f, 45  
*xanthodermus* 44, 44f, 45  
*Agrocybe*  
*aegerita* 372  
*Ajellomyces*  
*capsulatus* 760, 764f, 765f  
*dermatitidis* 760, 762, 763f-765f  
*Akanthomyces* 309, 319, 322-324  
*aculeatus* 319, 323, 324  
*ampullifer* 319, 320f, 323, 324  
*angustisporus* 324  
*arachnophilus* 319, 323, 323f, 324  
*aranearum* 319, 320, 320f, 323, 323f, 324  
*cinereus* 319, 323, 324  
*johnsonii* 319, 324  
*koratensis* 319, 323, 323f, 324  
*novoguineensis* 319, 320, 320f, 322-324, 323f  
*ovalongatus* 319, 321, 321f, 322f, 323, 323f, 324  
*pistillariformis* 324  
*websteri* 319, 323, 323f, 324  
*Alternaria* 532, 534, 545, 850, 856  
*alternata* 170, 533  
*brassicicola* 877, 881f  
 sp. 533  
*Amanita* 278, 284-287, 481  
 sect. *Amanita* 278, 281, 286  
 subg. *Lepidella* 278  
 sect. *Lepidella* 278, 281, 286  
 sect. *Phalloideae* 286  
 sect. *Vaginatae* 278, 286  
*caesarea* 286  
*fulva* 285  
*gemmata* 287, 288  
*morenoi* 278, 279, 279f, 280f, 281, 282f, 283, 285-287  
*muscaria*  
 var. *muscaria* 286  
*pantherina* 286  
*pseudospretta* 278, 281, 282f, 283f, 284-287  
*sampajensis* 286  
*umbrinolutes* 287, 288  
*Anguillospora* 1, 7, 8, 501  
*rosea* 8  
 sp. 1 8  
*Anguillosporella*  
*coryli* 501  
*vermiformis* 501, 502  
*Antrodia*  
*carbonica* 729, 730, 731f  
*Aphysiostroma*  
*stercorarium* 255f  
*Apiocamarops* 144  
*alba* 144  
*Apiosordaria* 914

- Arachnopeziza* 751, 754, 754f  
*aurata* 745, 746, 748, 749, 749f, 750f, 751, 752, 752f  
*Armillaria*  
*calvescens* 204  
*gallica* 29, 204, 210  
*gemina* 204, 208, 209  
*luteobubalina* 31  
*ostoyae* 204  
*sinapina* 204  
*spp.* 30, 31  
*Armillariella*  
*hymenoccephala* 617  
*Arthrinium*  
*phaeospermum* 533  
*Arthrotrichys* 1, 5, 8, 9, 18, 272, 876, 878–880, 882, 883f  
*amerospora* 5  
*botryospora* 878, 879f, 880, 881f, 882f  
*brochopaga* 5, 17f, 18, 878, 879f, 880, 881f, 882f  
*cladodes* 878, 879f, 880, 881f, 882f  
*var. macroides* 5  
*dactyloides* 5, 9  
*foliicola* 878–880, 879f, 881f, 882f  
*haptospora* 878, 879f, 880, 881f, 882f  
*javanica* 878, 879f, 880, 881f, 882f  
*musiformis* 878, 879f, 880, 881f, 882f  
*oligospora* 5, 7f, 220–222, 223f, 224, 225f, 226, 876  
*var. oligospora* 18  
*polycephala* 878, 879f, 880, 881f, 882f  
*sp.* 5, 9f, 17f  
*superba* 5, 8, 17f, 18, 876, 878–880, 879f, 881f, 882f  
*vermicola* 878, 879f, 880, 881f, 882f  
*Arthrographis*  
*cuboidea* 202, 209, 210  
*Arthrorhynchus* 330  
*Ascochyta* 170, 171, 501  
*graminea* 171  
*imperatae* 171  
*mycoparasitica* 163, 164, 167, 165f–169f, 170, 171  
*oryzina* 171  
*pisi* 168, 170, 171  
*spp.* 163, 171  
*Ascocodinaea* 156, 158, 161, 162  
*polyporicola* 159, 160f, 161, 162  
*stereicola* 156, 157f, 161, 162  
*Ascosphaera*  
*apis* 760, 762, 763f–765f  
*Ascovaginospora* 813  
*stellipala* 812, 813, 814f, 815–817, 817f  
*Aspergillus* 601, 757, 766, 767–769, 850  
*candidus* 841  
*carneus* 840  
*flavus* 825, 828, 840  
*fumigatus* 760, 764f, 765f, 766, 769  
*glaucus* 2  
*glaucus group* 840  
*nidulans* 246, 248  
*niger* 614  
*ochraceus* 841  
*sp.* 840  
*terreus* 170, 202, 210  
*versicolor* 840  
*Asteromella* 537, 541  
*Asteromella*  
*sp.* 545  
*Astraeus* 16  
*Astrosporina* 676  
*Athelia*  
*bombacina* 729, 731f, 762, 763f, 762, 763f  
*Atkinsonella* 375, 431, 432, 435–437  
*hypoxylon* 379, 380f, 408, 416, 417f, 433, 435f–437f, 437, 438  
*texensis* 433, 435f–437f, 437  
*Aureobasidium* 850  
*pullulans* 545, 786, 787, 789–791  
*Auricularia*  
*auricula-judae* 199, 201, 203, 208–210, 214, 215f  
*Baeospora* 398  
*myosura* 398  
*myriadophylla* 398  
*Balansia* 375, 408–411, 416–418, 431, 434–438  
*subg. Dothichloë* 408–411, 416–418  
*subg. Eubalansia* 408, 410, 411, 417, 418  
*ambiens* 411  
*aristidae* 408–411, 413, 414f, 416–418, 416f, 417, 417f, 433, 436f, 437f, 438  
*asclerotica* 410, 411  
*claviceps* 409, 410, 418  
*cyperacearum* 411  
*cyperi* 379, 409, 433, 435f–437f, 438  
*epichloë* 408–411, 413, 412f, 413, 416–418, 433, 436, 435f–437f, 438, 439  
*hemicypta* 411  
*henningsiana* 408–409, 411, 416f, 417f, 418  
*kunzei* 413, 435f  
*linearis* 411  
*nigricans* 408, 410, 411, 416, 433, 436, 435f–437f, 438, 439  
*obtecta* 380f, 416, 418, 433, 436, 435f–437f, 438, 761, 767f  
*pilulaeformis* 379, 410, 411, 433, 436f, 437f, 438  
*regularis* 413, 414  
*sclerotica* 255f, 380f, 433, 436f, 437f, 438, 439, 767f  
*strangulans* 408, 410, 411, 417, 417f, 418, 433, 436f, 437f, 438  
*forma discoidea* 417, 418  
*subnodosa* 408–411, 416  
*Balansiopsis* 408–411  
*gaduae* 408–411, 413, 415f, 416, 417, 417f  
*Balsamia* 53f, 54f, 55, 56f, 58f, 60f, 61  
*magnata* 50, 714  
*Barrina* 962, 965, 966  
*polyspora* 963, 964f  
*Barssia* 53f, 54f, 55, 56f, 58f, 60f, 61  
*oregonensis* 50  
*Basidiobendron*  
*cinereum* 203  
*eyrei* 203, 208  
*Basipetospira* 757, 768  
*Batista* 957  
*Beauveria* 850  
*bassiana* 66, 383–388, 391, 533, 825–828, 877, 881f  
*cylindrospora* 840  
*geodes* 839, 840, 843f  
*Berlesiella* 120  
*Beverlykella*  
*cerebriformis* 950  
*Bicornispora*  
*exophiala* 129  
*Bionectria* 256  
*Bisporella*  
*citrina* 202  
*Bjerkandera*  
*adusta* 31, 205, 211, 729, 730, 731f, 733  
*Blumeria*  
*graminis* 761, 763f  
*Boletus* 586  
*grevillei* 589  
*satanas* 729, 731f  
*Bombardia* 965  
*Bondarzewia*  
*berkeleyi* 729, 731f  
*Botryodermia* 850  
*Botryodiplodia* 301  
*theobromae* 302  
*Botryonipha*  
*flavipes* 517  
*Botryosphaeria* 298, 299, 301, 302  
*berengeriana* 301  
*dothidea* 301, 302  
*mamane* 298, 299, 300f, 301, 302  
*pipturi* 301, 302  
*rhodina* 761, 763f  
*ribis* 298, 301, 302  
*ribis chromogena* 302  
*xanthocephala* 299  
*Botryotinia* 885, 892, 896  
*convoluta* 886, 890f–892f, 894f, 895f, 897  
*Botryotrichum* 850, 958  
*Botrytis* 885, 890  
*cinerea* 170, 886, 890f–892f, 894f, 895f, 897  
*cinereus* 841  
*Brachysporium* 850  
*Brauniellula*  
*albipes* 714, 716  
*Bulgaria*  
*inquinans* 202, 214, 969  
*nana* 969  
*Byssoschlamys* 757  
*nivea* 760, 763f–765f  
*Calocera*  
*cornea* 204, 210, 215  
*viscosa* 204, 215  
*Calonectria* 653, 658, 659  
*avesciculata* 659  
*gracilipes* 653, 654, 655f, 657f, 658, 659  
*gracilis* 654, 658, 659  
*kyotensis* 659  
*morganii* 659  
*naviculata* 653, 654, 656f, 657f, 659  
*pteridis* 654, 658, 659  
*scoparia* 659  
*spp.* 653  
*Calosphaeria*  
*fagi* 130  
*Calostilbella* 512  
*Calvatia*  
*excipuliformis* 482  
*utriformis* 482  
*Calycellina* 751f, 754f  
*punctata* 746, 748, 749, 749f–752f  
*Calycina* 885  
*Calyptospora* 702  
*Calyptospora*  
*goepertiana* 702, 704  
*Camarophyllopsis* 615  
*Camarophyllopsis*  
*subg. Hodophilus* 618  
*sect. Hodophilus* 618  
*hymenoccephala* 616, 617, 617f, 618, 637  
*Camarophyllus* 630  
*hymenoccephalus* 617  
*Camarops* 144  
*biporosa* 144  
*Candelabrella* 9, 876  
*Candelabrum* 948  
*Candida* 667, 668  
*albicans* 248, 295, 761, 763f  
*rugosa* 613  
*Capronia* 120, 126, 128–130  
*acutiseta* 129  
*collapsa* 126, 127  
*dactylotricha* 129  
*epimyces* 129  
*fungicola* 130  
*hanliniana* 120, 128, 129  
*hystridioides* 128, 129

- mansonii 121, 122f, 123, 124, 130  
 moravica 124, 126, 128  
 munkii 123, 130  
 parasitica 130  
 pilosella 124, 125f, 126, 127–130, 761, 762, 763f  
 porothelia 127, 162  
 pulcherrima 121, 125f, 126–128, 130  
 spinifera 126, 127  
 villosa 130  
 Carouxella 639, 641  
 Cazia 51, 53f, 54f, 55, 56f, 58f, 60f  
 flexiascus 50, 59  
 Cenangium 885  
 Cephalophora  
 longispora 272  
 muscicola 272  
 Cephalosporiopsis 850  
 Cephalotheca 958  
 Ceratocystiopsis 661, 662, 667, 668  
 brevicomi 661, 662, 663, 663f, 664f, 665–668, 667f  
 collifera 661, 663, 665–668, 667f  
 falcata 332  
 minor  
 var. barrasii 666  
 minuta 661, 666, 667, 667f  
 ranaculosus 661, 663, 665–668, 667f  
 Ceratocystis 55, 332, 333, allantospora 332  
 autographa 332  
 coerulea 332, 337  
 fagacearum 468, 469, 469f, 470, 472–478  
 fimbriata 255f  
 fimbriatus 380f  
 galeiformis 332  
 laricicola 332, 338  
 polonica 338  
 sp. 170  
 Ceratopodium  
 pruinosipes 517  
 Ceratopodium 816  
 Cercophora 908, 913, 914, 965  
 caerulea 911  
 samala 914  
 septentrionalis 815, 911  
 Cercospora 501  
 Ceriosporopsis  
 circumvestita 816  
 Ceriporia  
 purpurea 729, 731f  
 Chadefaudia 484, 490, 491, 493  
 balliae 491  
 corallinarum 491  
 gymnogongri 490, 491  
 marina 491  
 polyporolithi 490–492  
 schizymeniae 491  
 spp. 490  
 Chaetomidium 958  
 arxii 958  
 cephalothecoides 958  
 khodense 958  
 Chaetomium 757, 850  
 aureum 202, 209, 210  
 elatum 760, 764f, 765f, 815, 817f  
 funicola 208, 210  
 globosum 203, 209–211, 815  
 spp. 208  
 Chaetosphaerella 162  
 Chaetosphaeria 144, 162  
 Chalara  
 elegans 354, 793  
 Chlorociboria 885  
 aeruginosa 886, 887, 890, 890f–892f, 894f, 895f  
 Chloroscypha 742  
 chloromela 736–738, 739f  
 enterochroma 736–738, 739f  
 Chlorosplenium 885  
 Choanephora  
 cucurbitacearum 604, 607  
 cucurbitarum 185, 186, 187f, 188, 190f, 191f, 193  
 Choiromyces 53f, 54f, 55, 56f, 58f, 60f, 62  
 venosus 50  
 Chromelosporium 850  
 Chromocleista 756, 757, 766, 768  
 malachitea 756, 758, 763f–765f, 766, 767f, 768, 769  
 Chroogomphus  
 vinicolor 588f  
 Chrysomyxa 702, 704  
 rhododendri 702  
 Chrysosporium 850  
 sp. 170  
 Ciboria 885, 887, 890–892, 897  
 betulae 886, 890, 890f–892f, 894f, 895f, 896  
 caucus 886, 890, 890f–892f, 894f, 895f, 896  
 Ciborinia 885, 887, 890, 892, 896, 897  
 erythronii 886, 890, 890f–892f, 894f, 895f, 896  
 foliicola 886, 889, 890, 890f–892f, 894f, 895f, 897  
 whetzelii 886, 889, 890, 890f–892f, 894f, 895f, 896, 897  
 Circinella 850  
 Cistella 745, 751, 752, 754, 754f  
 acuum 746, 748, 749f–752f  
 grevillei 746, 748, 749f–752f  
 Cladina 461, 465, 466  
 subtennis 461, 462, 463f–465f, 465, 466  
 Cladobotryum 255, 256  
 Cladonia 7, 461, 465, 467, 901, 903, 906  
 sect. Cladonia 466  
 sect. Cladonia 900  
 sect. Cocciferiae 465  
 sect. Cocciferiae 906  
 sect. Perviae 465  
 chlorophaea 900  
 cristatella 465  
 grayi 900, 901, 901f, 902f, 903, 904f, 905f, 906  
 incrassata 906  
 subtennis 903  
 Cladophialophora 128, 129  
 brevicatenulata 129  
 Cladorrhinum 908, 913, 913f, 914  
 foecundissimum 914  
 Cladosporium 128, 455, 501, 850, 856  
 carrionii 128  
 cladosporioides 170, 532, 533, 841  
 fulvum 455  
 herbarum 202, 840  
 sp. 545  
 sphaerospermum 839, 840, 843f  
 Cladosporium-like 120, 123, 127–129  
 Clathroconium 309  
 Clathrosphaerina 942, 948  
 zalewskii 944f, 948, 949f, 950  
 Clathrosporium  
 intricatum 950  
 Clavaria  
 cinerea 147  
 cristata 147  
 sp. 147  
 spp. 147  
 Clavaria? 147  
 Claviceps 431, 436, 438  
 fusiformis 433, 436f, 437f, 761, 767f  
 paspali 255f, 433, 436f, 437f, 761, 767f  
 purpurea 379, 380f, 433, 434, 435, 435f–437f, 439  
 Clavispora  
 lusitaniae 761, 763f  
 Climacocystis  
 borealis 205, 211  
 Clitocybe  
 nebularis 30  
 Clitocybula 400, 401, 403f  
 abundans 401, 404, 406  
 Coccidioides  
 immitis 760, 762, 763f–765f  
 Cochliobolus 143  
 heterostrophus 246  
 spicifer 533  
 Codinaea 143, 156, 157f, 158, 158f, 162  
 Coelomomyces 830, 834, 835  
 dodgei 834  
 indicus 835  
 psorophorae 830, 834  
 punctatus 834  
 stegomyiae 830–833, 832f, 835  
 stegomyiae  
 var. stegomyiae 830  
 Coemansia  
 aciculifera 841  
 Coleosporium 702, 704  
 Colletotrichum 420, 421, 423, 425f, 426–428  
 acutatum 420–426, 425f, 426f, 428, 429  
 f.sp. pineum 421, 425, 427  
 capsici 426f  
 caudatum 426f  
 coccodes 420, 422–424, 425f, 426f  
 fuscum 426f  
 gloeosporioides 420–425, 425f, 426f, 427–429, 761, 764f, 765f  
 graminicola 426f  
 kawahae 420, 427, 428  
 lindemuthianum 420, 426f, 428  
 malvarum 420, 426f, 428  
 musae 420–424, 425, 425f, 426f, 428  
 orbiculare 420–424, 425, 425f, 426f, 428  
 trifolii 420, 421, 422, 425, 426f, 428  
 truncatum 426f  
 Collybia 398, 400, 401, 403f, 566, 574  
 abundans 401  
 biformis 566  
 cf. cylindrospora 568  
 cf. subnuda 568  
 dichrous 568  
 dryophila 400–402, 404, 406f  
 dryophila 566, 575  
 luxurians 566  
 maculata 401, 404, 405, 406f  
 peronata 567, 568, 573, 576  
 subnuda 31, 566–568, 571–576, 572f, 573f  
 Colpoma 742  
 quercinum 737, 739f  
 Coltricia  
 perennis 729, 731f  
 Conidioporomyces 930  
 Coniochaeta 141, 965  
 Coniophora  
 puteana 205, 211  
 Conopea 850  
 Coprinus  
 cinereus 31–33, 275, 277, 373, 729, 731f  
 comatus 244  
 lagopus 599  
 macrorhizus 372  
 sp. 170  
 Coprotinia 885, 892, 896  
 minutula 886, 890f–892f, 894f, 895f  
 Cordana 850  
 pauciseptata 144  
 Cordyceps 431, 434, 436, 439  
 Cordyceps  
 capitata 255f, 380f  
 intermedia 761, 767f  
 militaris 436f, 437f  
 sp. 432, 433–435, 435f, 436f, 437



- tuberculata 324  
*Corethromyces* 325, 330  
*fuscipes* 325, 330  
*minusculus* 325, 326f, 330  
*scopaei* 325, 326f, 329–331  
*scopaeicola* 325, 327, 328f, 329, 330  
*shazawae* 325  
 spp. 326f  
*striatus* 325, 328f, 329, 330, 331  
*Cortinarius*  
*duracinus* 482  
*Corynascella* 955, 957  
*arabica* 955, 956f, 957f, 958  
*inaequalis* 957  
*Cristulariella* 895  
*Cronartium* 702, 704  
*Crucibulum*  
*laeve* 205, 211, 215  
*Cryphonectria*  
*cubensis* 202  
*gyrosa* 202  
*parasitica* 25, 202, 208, 214, 564  
*Cryptandromyces* 325  
*Cryptocline* 742  
*hypophyllum* 742  
*Cryptosphaeria*  
*lignyota* 203, 210, 214  
*Cudonia* 7  
*confusa* 761, 763f  
*Cunninghamella* 850  
*Cyclaneusma* 742  
*minus* 737, 739, 739f  
*Cylindrocarpon* 532, 534, 850  
*gracile* 840  
*heteronema* 533  
 spp. 532  
*Cylindrocladium* 653, 658, 659  
*avesciculatum* 659  
*brassicae* 658  
*Cylindrocladium*  
*candelabrum* 659, 660  
*clavatum* 653, 654, 658  
*flexuosum* 658  
*floridanum* 659, 660, 761, 767f  
*gracile* 653, 658, 658f, 659  
*graciloideum* 653, 654, 655f, 657f, 658, 659  
*naviculatum* 653, 654, 656f, 659  
*parasiticum* 659  
*pseudogracile* 653, 654, 658, 659  
*pteridis* 653, 654, 658, 659  
*reteaudii* 659  
*scoparium* 659  
 spp. 653, 654, 658, 659  
*Cylindrotrichum* 162  
*Dacrymyces*  
*capitatus* 204, 210  
*chrysospermus* 204, 210, 215  
*dictyosporus* 204, 210  
*minor* 204, 210  
*novae-zelandiae* 204, 210  
*palmatus* 204  
*punctiformis* 204, 210  
*stultus* 204, 210  
*Dacryopinax*  
*spathularia* 204, 210, 215  
*Dactylaria* 876, 878  
*dimorphospora* 878–880, 879f, 881f, 882f  
*fusiformis* 521, 522, 522f, 523  
*lanosa* 878, 879f, 880, 881f, 882f  
*purpurella* 876  
*xinjiangensis* 523  
*Dactylariopsis* 9, 876  
*Dactylella* 1, 9, 10, 18, 272, 850, 876, 878, 880, 882, 883f  
*attenuata* 521, 521f, 522, 522f  
*candida* 878, 879f, 880, 881f, 882f  
*copepodii* 878, 879f, 880, 881f, 882f  
*formosana* 878, 879f, 880, 881f, 882f  
*gampsospora* 878, 879f, 880, 881f, 882f  
*leptospora* 521  
*lysipaga* 878, 879f, 880, 881f, 882f  
*multiformis* 521, 522  
*oviparasitica* 521, 522  
*polybrocha* 878, 879f, 880, 881f, 882f  
*rhopalota* 5, 10, 521  
*sp.* 5, 10f, 17, 878, 879f, 880, 881f, 882f  
*tylopaga* 10  
*Daedalea*  
*quercina* 729, 730, 731f  
*Daldinia*  
*concentrica* 203, 209, 210, 213f, 376, 380f  
*Darkera* 742  
*parca* 737, 739f  
*Darlauca*  
*filum* 171  
*Dasyscyphus* 745  
*Dekkera*  
*bruxellensis* 761, 763f  
*Dendrostilbella*  
*hanlinii* 517, 518  
*sp.* 519  
*Diaporthe*  
*phaseolorum* 375, 380f, 760  
*Diatrype*  
*disciformis* 126  
*Diatrypella* 962  
*Dibotryon*  
*morbosum* 250  
*Dicranidion* 1, 7f, 10, 12, 13, 16, 18  
*fragile* 10, 13  
*gracile* 13  
*inaequalis* 10  
*sp.* 5, 11f, 12f, 17f  
*Dicranophora*  
*fulva* 607  
*Dictyostelium* 296  
*Dictyotrichiella* 120  
*mansonii* 121  
*pulcherrima* 125f, 127  
*semiimmersa* 128  
*Dicyma* 850  
*Didymascella* 742  
*Didymella* 495, 501  
*Didymostilbe* 512  
*Didymotrichiella* 120  
*Didymozoopaga* 9  
*Diffractella* 957  
*Dingleya* 53f, 54f, 55, 56f, 58f, 60f, 61, 62  
*verrucosa* 50  
*Diplocarpon*  
*rosae* 103, 104f, 105f, 106, 108  
*Diplococcium* 141–144, 148, 154, 161  
*clarkii* 154  
*sp.* 145, 147, 152  
*Diplodia* 301, 302  
*sapinea* 525  
*Dipodascus*  
*uninucleata* 761, 763f  
*Discina* 53f, 54f, 56f, 58f, 60f, 62  
*macrospora* 50  
*Disciotis* 53f, 54f, 56f, 58f, 60f  
*venosa* 50  
*Dothichloë* 408–410  
*aristidae* 413  
*atramentosa* 413  
*epichloë* 413  
*gaduae* 413  
*limitata* 413  
*subnodosa* 413  
*insculpa* 761, 762, 763f  
*Dothoriella* 301, 302  
*Drechmeria* 741  
*Drechslera* 143, 533, 850  
*Drechsleromyces* 876  
*Duddingtonia* 876, 878, 883f  
*flagrans* 878–880, 879f, 881f, 882f  
*Dumontinia* 885, 892, 896  
*tuberosa* 886, 890f–892f, 894f, 895f, 897  
*Dunaliella*  
*parva* 738  
*Echinobotryum* 850  
*Echinodontium*  
*tinctorium* 31  
*Echinodonthis* 431, 436–439  
*tuberiformis* 380f, 433, 435, 436, 435f–437f, 438, 439  
*Eladia*  
*saccula* 840  
*Elaphomyces* 712, 720  
*decipiens* 716  
*granulatus* 714, 716, 717, 720  
*Eleutheromyces* 867, 872, 873, 874  
*subulatus* 867, 870, 873, 874  
*Embellisia*  
*chlamydospora* 533  
*Emericella* 757, 937, 940, 941  
*desertorum* 941  
*nidulans* 760, 766, 941  
*pluriseminata* 937, 938f–940f, 941  
*similis* 941  
*variecolor* 941  
*violacea* 941  
*Emericellopsis* 519, 769  
*minima* 380f  
*synnematicola* 519  
*terricola* 380f, 756, 762, 766, 767f, 760, 767f  
*Encoelia* 885, 896, 897  
*fascicularis* 886, 888, 890f–892f, 894f, 895f, 896  
*furfuracea* 896  
*pruinosa* 896  
*tiliacea* 896  
*Endocreas* 512, 515  
*lasiacidis* 512, 515  
*Endogone*  
*flammicorona* 716  
*lactiflua* 714, 716  
*Endomelanconium* 967, 969  
*microsporum* 967, 968f, 969, 969f  
*nanum* 969  
*pini* 969  
*Endomyces*  
*geotrichum* 761, 763f  
*Engynodontium* 309  
*album* 533  
*Entomophaga*  
*grylli* 383  
*maimaiga* 825–828  
*Entomophthora*  
*aulicae* 827  
*muscae* 383  
*Entrophospora* 72  
*infrequens* 807  
*sp.* 343  
*Etyloma* 930  
*vignae* 924, 926, 927f, 934  
*Eocronartium*  
*sp.* 801  
*Ephelis* 410, 431, 432, 433, 435–439  
*sp.* 411, 413  
*Epichloë* 375, 431, 432, 436–439, 558–564  
*amarillans* 380f, 432, 433, 436f, 439, 558  
*baconii* 380f, 408, 432, 433, 436f, 437f, 558, 562  
*clarkii* 408, 432, 433, 436f, 437f  
*festucae* 408, 432, 433, 436f, 437f, 558, 562, 563f  
*hypoxylon* 408  
*sp.* 433, 436f, 437f  
*typhina* 255f, 408, 432–435, 435f–437f, 558, 562, 563f  
*Epicoccum* 532, 534, 850, 856  
*nigrum* 170  
*purpurascens* 532, 533  
*Eremascus*  
*albus* 760, 762, 763f–765f  
*Eriopezia* 752  
*Erratomyces* 924, 930

- ajmeriensis 930f, 931f, 933f, 934  
 crostalariae 930f, 934  
 patellii 927f, 928f, 929f, 930f, 933, 934  
 smithii 930f, 931f, 933f, 935  
 spp. 930f, 933f  
 thirumalacharii 930f, 932f, 933f, 935  
*Eupenicillium* 757, 766, 768, 769  
 crustaceum 756, 758, 763f-765f, 766, 767f, 768  
 egyptiacum 760  
 javanicum 757, 760, 764f, 765f, 766  
 spp. 769  
*Eurotium* 757  
 herbariorum 2  
 rubrum 757, 760, 762, 763f-765f, 766, 769  
*Eutypella*  
 parasitica 203, 209, 213f  
*Exidia*  
 crenata 203, 209, 210, 215  
 glandulosa 203, 209, 210  
*Exidiopsis*  
 calcea 203, 208, 210  
 grisea 204, 210  
*Exophiala* 120, 123, 128-130  
 castellanii 123  
 jeanselmei 124  
 mansonii 123, 124  
 sp. 121, 123, 123f, 124, 127  
*Fabrella* 742  
 tsugae 736-739, 739f, 740f, 741  
*Filobasidiella* 244, 246, 248  
 depauperata 244-246, 246f, 247f, 248  
 neoformans 244-246, 246f, 247f, 248  
*Fischerula* 51, 53f, 54f, 55, 56f, 57, 58f, 60f  
 macrospora 57  
 subcaulis 50, 52, 53, 57, 62  
*Fistulina*  
 hepatica 729, 731f  
*Fomes*  
 fomentarius 729, 731f  
*Fomitopsis*  
 cajanderi 30-32  
 pinicola 28, 575, 729, 730, 731f  
*Fragosphaeria* 958  
*Fusarium* 381, 512, 532, 534, 643, 647, 649, 850  
 sect. *Liseola* 250  
 sect. *Liseola* 643, 647, 649, 650  
 sect. *Sporotrichiella* 250  
 avenaceum 170  
 culmorum 170  
 fusarioides 533  
 graminearum 170  
 lateritium 841  
 moniliforme 170, 533, 560, 643, 647, 649, 650  
 nivale 533  
 oxysporum 353-355, 358f, 428, 533, 560, 563, 841  
 f. sp. *radicis-lycopersici* 193  
 polyphialidicum 826-828  
 reticulatum 170  
 sambucinum 455, 877, 881f  
 solani 533  
 sp. 1 533  
 sp. 2 533  
 sp. 3 533  
 sp. 4 533  
 sp. 5 533  
 sporotrichioides 841  
 spp. 532  
**thapsinum** 643, 644, 645f, 646-650  
 verticilloides 643  
*Fusicoccum* 298, 299, 301  
 aesculi 301  
 sp. 299  
*Gaeumannomyces* 455, 590, 591, 593-596  
 cylindrosporus 455, 456, (-ous) 590-596, 593f, 594f  
 graminis 455, 590, 591, 593, 595, 596  
 var. *avenae* 590-596, 593f, 594f  
 var. *graminis* 590-596, 593f, 594f  
 var. *tritici* 590-596, 593f, 594f  
 incrustans 590-596, 593f, 594f  
 leptosporus (-ous) 590-596, 593f, 594f  
*Gastroboletus* 586  
 imbellus 589  
 laricinus 589  
 suilloides 589  
*Gastroleccinum* 586  
*Gastrosporus* 586, 587, 588f, 589  
 amaranthii 586, 587, 588f, 589  
 imbellus 586  
 laricinus 586, 587, 588f, 589  
 suilloides 586, 587, 588f, 589  
 umbrinus 586, 587, 588f  
*Gautieria* 712  
 crispa 712, 716, 717, 719  
 gautierioides 716  
 sp. 714, 716, 717  
*Gelasinospora*  
 retispora 168, 171  
 seminuda 170  
*Gelatinopulvinella*  
 astraicola 5, 16, 17f  
*Geniculifera* 9, 876, 878, 880, 883f  
 cystosporia 878, 879f, 880, 881f, 882f  
 effusa 878, 879f, 880, 881f, 882f  
 eudermata 878, 879f, 880, 881f, 882f  
 paucispora 220-222, 223f, 224, 225f, 226  
*Geniculosporium* 850  
*Genistella*  
 sp. 641  
*Genistelloides* 639, 641, 642  
 helicoides 641, 642  
 hibernus 641  
*Genistellospora*  
 homothallica 641  
*Geomyces* 837, 842  
 pannorum  
 var. *asperulatus* 533, 839, 840, 843f  
 var. *pannorum* 839, 840, 843f  
 var. *vinaceus* 841  
*Geopora* 712  
 cooperi 712, 714, 716, 717  
*Geosmithia* 756-759, 762-764, 766-769  
 argillacea 756  
 cylindrospora 756, 758, 763f, 764f, 766, 768  
 emersonii 756  
 lavendula 756, 758, 759, 763f, 764f, 766, 767f, 768  
 malachitea 756  
 namyslowskii 756, 758, 763f-765f, 766, 767f, 768  
 putterilli 756, 758, 763f-765f, 766, 767f, 768  
 spp. 762  
 swiftii 756  
*Geotrichum* 850  
 candidum 613, 614  
*Gibberella*  
 fujikuroi 434, 435, 435f, 563, 643, 644, 647, 649, 650  
 pulicaris 647  
**thapsina** 643, 644f, 645-647, 649, 650  
 zeae 647  
*Gibellula* 309, 310, 311f, 313, 313f, 314f, 315-317  
 araneae 309, 313  
 araneicola 309  
 brunnea 309, 316, 317  
 clavata 309, 316, 317  
 clavulifera  
 var. *alba* 309, 315, 317  
 clavulifera  
 var. *clavulifera* 309, 315, 317  
 var. *major* 310, 311, 311f, 312f, 315, 317  
 formosana 309, 313  
 leiopus 309, 310, 310f, 313, 317  
 mirabilis 309, 316, 317  
 pulchra 309, 310, 310f, 313, 317  
 suffulta 309, 313  
 tropicalis 309, 313  
 unica 309, 312, 313f, 314f, 316, 317  
*Gigaspora* 72, 79, 80, 344  
 rosea 293-296, 294f, 295f  
*Gilbertella*  
 persicaria 603-608, 606f  
*Gliocladium* 512, 756, 766-769, 850  
 roseum 761, 767f  
*Gliophorus* 622, 626, 627  
 graminicolor 622  
 lilacipes 622  
 pallidus 622  
*Gloeophyllum*  
 trabeum 205, 209, 211  
*Gloeosporium*  
 cingulatum 428  
*Gloeotinia* 885, 896  
 granigena 886, 889, 890, 890f-892f, 894f, 895f  
*Gloeotulasnella*  
 cystidiophora 204  
*Glomerella* 420, 425f, 427, 429  
 cingulata 420, 421, 428  
 miyabeana 420, 422, 423, 424, 425, 425f, 426f, 429  
*Glomus* 72, 79, 80, 344, 547, 807, 809  
 aggregatum 809  
 albidum 344, 807  
 caledonium 293, 807  
 callosum 810  
 chimonobambusae 810  
 clarioideum 72, 73, 74f, 75, 77, 78f, 79, 344  
 clarum 72, 73, 74f, 75, 76f, 78, 79, 807  
 constrictum 809  
 coronatum 343  
 corymbiforme 343  
 deserticola 548-550, 548f, 549f, 805  
 diaphanum 344  
 dominikii 810  
 etunicatum 72-74, 74f, 75f, 79, fasciculatum 343, 610, 805, 809  
 geosporum 810  
 ?geosporum 343  
**gibbosum** 339, 340f, 341, 342f, 343, 344  
 intraradices 72, 73, 74f, 76, 77f, 78, 79, 344, 345, 807  
 laccatum 344  
 lacteum 344  
 leptotichum 344  
 microcarpum 343  
 mosseae 295, 296, 805, 807  
**multiformum** 804, 805, 806f, 807, 809, 810  
 occultum 344  
 pansihalos 343, 810  
 pustulatum 343  
 scintillans 810  
 sp. 343  
 spp. 805, 807, 809  
**verruculosum** 804, 808f, 809, 810  
 versiforme 37-41, 39f-41f, 610-614, 612f  
 viscosum 344  
*Glottia* 639, 642  
 ephemeridarum 641  
*Gnomoniopsis*  
 cingulata 428  
*Golovinia* 15, 876  
*Gomphidius*  
 glutinosus 588f

- Grandinia*  
*setigerae* 153, 154  
*Granulomanus* 309, 311f, 312, 313, 313f, 314f, 315–317  
*Graphium* 332, 333, 334f–336f, 337, 862  
*pruinosis* 517  
*simplex* 333  
*Grovesinia* 885, 892, 896  
*pyramidalis* 886, 890f–892f, 894f, 895f, 897  
*Gyromitra*  
*esculenta* 50, 53f, 54f, 56f, 58f  
*melaleucoides* 50, 53f, 54f, 56f, 58f  
*montana* 50, 53f, 54f, 56f, 58f  
*Habroscopicus* 3  
*Haloguignardia* 484, 490, 491, 493  
*cystoseirae* 490  
*decidua* 490  
*irritans* 490  
*oceanica* 490  
*tumafaciens* 490  
*Hamigera* 757, 768, 769  
*avellanae* 756, 758, 759, 763f–765f, 766, 769  
*striata* 769  
*Haploporus*  
*odorus* 233–235, 237, 236f–238f, 239, 240  
*Harposporium* 14  
*Harzia*  
*verrucosa* 168, 170  
*Hebeloma*  
*cylindrosporium* 578, 584  
*Heleococcum*  
*japonense* 256  
*Helicobasidium*  
*corticoides* 214, 217  
*mompia* 203  
*Helicodendron*  
*sp.* 120  
*Helicoon* 1, 8, 13, 18, pluriseptatum 950  
*sessile* 5, 13, 13f, 17f, 18  
*Helminthosphaeria* 141–145, 152, 154, 161  
*clavariarum* 141–143, 145, 145f, 146f, 150, 161  
*corticiorum* 141–143, 145, 147, 148f, 149, 149f, 152, 161  
*epimyces* 149  
*hypodermiae* 141–143, 145, 150, 150f, 151f, 152  
*odontiae* 141, 142, 145, 151f, 152, 153f, 154  
**Helminthosphaeriaceae** 144  
*Helminthosporium* 850  
*convivia* 152, 154  
*Helotium* 885  
*Helvella* 53f, 54f, 56f, 58f, 59, 60f, 61  
*lacunosa* 50  
*Hemiphacidium* 742  
*Herichium*  
*ramosum* 729, 731f  
*Herpotrichiella* 120  
*collapsa* 126  
*moravica* 124, 125f, 126, 127  
*pilosella* 124  
*Heterobasidium*  
*annosum* 34, 175, 92–100, 96f–98f, 205, 455, 575, 729, 731f  
*Heteroconium*  
*chaetospora* 128, 533, 535  
*Hirschioporus* 727  
*Hirsutella*  
*thompsonii* 255f, 761, 767f  
*Hispidocarpomyces* 484, 487, 489, 490, 492, 493  
*galaxauricola* 493  
*Hohenbuehelia* 876, 879  
*Hormonema*  
*dematioides* 533  
*Humicola* 706, 707, 709, 710, 850, 958  
*fuscoatra* 706–710, 710f  
*grisea* 170  
*marvinii* 706, 707, 708–710, 709f, 710f  
*Humidicutis* 615, 616, 629, 630  
*conspicua* 629, 630  
*marginata* 629, 630  
*peleae* 616, 628, 629, 629f, 630  
*poilena* 617, 629, 629f, 630  
*spp.* 616  
*Hyalinia* 3  
*Hyalopeziza* 752  
*Hyalopsora* 702  
*Hyaloscypha* 751f, 754f  
*aureliella* 745, 746, 748, 749, 749f–752f  
*Hydnotrya* 53f, 54f, 56f, 58f, 60f, 61, 62  
*cerebriformis* 50, 62  
*Hydrocybe*  
*rosea* 619  
*Hydropus* 398  
*Hygrocybe* 615, 627, 629, 637  
*sect. Coccineae* 632–635, 637  
*subsect. Coccineae* 633, 636  
*subg. Cuphophyllus* 630  
*sect. Glutinosae* 622, 626, 627  
*subg. Hygrocybe* 616, 619, 637  
*sect. Hygrocybe* 637  
*subsect. Insuperidae* 626, 627  
*subsect. Ovinae* 632  
*subg. Pseudohygrocybe* 616, 619, 627, 632–634, 636, 637  
*subsect. Psitticinae* 623, 626  
*subsect. Squamulosae* 635  
*aff. minutula* 616, 624, 624f  
*aurantioviscida* 626  
*calciphila* 635  
*calyptraeformis* 623  
*cantharellus* 635  
*cerinolutea* 636  
*citrina* 626  
*conica* 616, 620, 620f, 621  
*conicoides* 616, 619–621, 619f  
*conicus*  
*var. conicoides* 619  
*constrictospora* 617, 631f, 632, 633, 636  
*glacialis* 635  
*glutinipes* 626  
*hapuuae* 616, 626, 626f, 627  
*laeta* 622  
*lamalama* 617, 633, 634f, 635, 636, 637  
*lepida* 635  
*luteo-omphaloides* 627  
*mexicana*  
*f. defibulata* 616, 618, 618f, 619  
*miniata*  
*var. mollis* 636  
*minutula* 625  
*noelokelani* 622–624  
*var. defibulata* 616, 623, 623f, 624  
*var. noelokelani* 616, 621, 621f, 622–624  
*obrussea* 636  
*ovina* 632  
*pakelo* 616, 624f, 625, 626  
*perplexa* 626  
*psitticina* 626  
*puana* 617, 633, 633f, 634, 635  
*quieta* 636  
*sp.* 629  
*substrangulata* 636  
*venusta* 636  
*vitellina* 626  
*waolipo* 617, 630, 630f, 631, 632  
*Hygrophorus* 616, 630  
*aurantiaca* 481  
*conicoides* 619  
*conicus*  
*var. conicoides* 619  
*hymenoccephalus* 617  
*minutula* 624  
*mycenoides* 627  
*nitratum* 481  
*parvulus* 636  
*subovinus* 632  
*Hygrotrama*  
*hymenoccephala* 617  
*schulzeri* 618  
*Hymenogaster*  
*sp.* 714, 716  
*subalpinus* 716  
*sublilacinus* 714, 716, 717  
*Hymenoscyphus*  
*ericae* 455, 738  
*virgultorum* 886, 887, 890, 890f–892f, 894f, 895f  
*Hymenostilbe* 309  
*ampullifera* 323  
*Hypoderma* 132  
*acystidium* 132, 133, 134f  
*allantoporum* 132  
*argillaceum* 132  
*ayresii* 132  
*calyciferum* 153, 154  
*cremealbum* 132  
*cremeum* 132, 133, 135f, 138f  
*densum* 132, 136, 136f, 138f  
*hjordstamii* 132  
*leptaleum* 132  
*litschaueri* 132, 147  
*macrosporum* 132  
*malenconii* 132  
*microcystidium* 132  
*mutatum* 575  
*neopuberum* 132  
*nudicephalum* 132  
*praetermissum* 132  
*puberum* 132, 142, 150, 152  
*rude* 132  
*setigerum* 132, 138, 139  
*subsetigerum* 132, 137, 137f, 138f, 139  
*Hyphodontia* 132  
*mucronata* 132  
*Hyphozyma* 867–870, 870f–872f, 873, 874  
*Hypocrea* 252, 442, 443, 451, 456, 458, 757, 766, 768, 962  
*subsect. Citrinae* 519  
*subg. Heterocrea* 519  
*atramentosa* 411  
*aureoviridis* 446, 447, 448, 450, 453, 453f  
*cf. rufa* 446, 448, 450, 451f, 452, 452f, 453, 453f, 457  
*cinereoflava* 512, 515, 516f, 517f, 519  
*gelatinosa* 760, 767f  
*impressa* 515  
*jecorina* 442, 443, 445, 448–452, 451f–453f, 454, 456  
*lactea* 519  
*lutea* 255f, 756, 758, 759, 760, 762, 763f–765f, 766, 767f, 768  
*pallida* 255f, 380f, 760, 767f  
*pilulifera* 446, 448, 451, 451f–453f, 454  
*schweinitzii* 255f, 442, 443, 445, 448–452, 451f–453f, 454–457, 760, 767f  
*spec. 446, 453f*  
*Hypocrella*  
*sp.* 255f  
*Hypomyces* 252, 256  
*australis* 760, 767f  
*berkeleyanus* 760, 767f  
*chrysogenum* 756, 768  
*chrysospermus* 760, 763f–765f, 766  
*polyporus* 255f, 380f  
*rosellus* 256, 760, 767f  
*subiculosus* 256  
*trichothecioides* 256  
*Hypoxylon* 503, 504f, 506, 507, 510, 511  
*sect. Annulata* 507–509  
*sect. Hypoxylon* 503, 504, 507, 508, 510

- aff. rubiginosae 504f, 505f, 507, 508, 510  
 aff. trugodes 505f, 507, 509, 510  
 archeri 510  
 atropunctatum 203  
 bovei  
 var. microspora 510  
 cinnabarinum 508, 510  
 cohaerens 504  
 crocopleum 509, 510  
 dieckmanii 508, 510  
 discophorum 510  
 duranii 509, 510  
**duriloculatum** 503, 504f, 505f, 509, 510  
 erythrostroma 509, 510  
 fendleri 509, 510  
 gillesii 509  
 haematostroma 509, 510  
 hypomiltum 504f, 505f, 507, 509, 510  
 investiens 508, 510  
 lenormandii 509, 510  
 lienhwacheense 509, 510  
 macroannulatum 510  
**madangense** 504, 504f, 505f, 508, 510  
 mammatum 203  
 monticulosum 507, 508, 510  
 multiforme 504  
 munkii 507  
 nectrioideum 508  
 nitens 510  
 ochraceum 508, 510  
 oodes 509  
 papillatum 506  
 pelliculosum 507  
 perforatum 509, 510  
 pilgerianum 509, 510  
 ravidoroseum 509–511  
 retipela 507, 509, 510  
 rubellum 506  
**rugulosporum** 504f, 505f, 506, 508, 510  
 sclerophaeum 508  
 sp. 507  
 stygium 510  
 subgilvum 509, 510  
 subrutileum 509, 510  
 trugodes 507  
 truncatum 510  
**vandervekenii** 504f, 505f, 506, 509, 510  
 Hysterangium 712  
 coriaceum 712, 714, 716, 717, 719  
 Idriella 14  
 Idriella-like 1, 14, 14f  
 Ingoldiomyces 930  
 Inocybe 670, 671, 685f, 686, 687  
 boltonii 676  
 ssp. giacomii 676  
 borealis 676  
 cincinnata 681  
 var. major 681  
 dulcamara 671, 672, 673f, 685f  
 flavella 670, 671, 673, 686, 687  
 var. flavella 672, 673f, 685f  
 flocculosa 672, 675, 686  
 var. flocculosa 672, 674, 674f, 685f  
 freisii 680  
 geophylla  
 var. geophylla 671, 675, 675f, 685f  
 giacomii 671, 676, 676f, 685f  
 griseolilacina 672, 676, 677, 677f, 685f, 686  
 lacera 672, 677, 678f, 685f  
 var. heterosperma 672, 678  
 longispora 670, 672, 678, 679, 679f, 685f, 687  
 mixtilis 671, 679, 680f, 686f  
 nitidiuscula 672, 680, 681f, 686f  
 phaeocomis  
 var. major 671, 677, 680, 681, 682f, 686, 686f  
 praetervisa 679  
 pruinosa 679  
 pudica 686  
 sindonia 671, 681, 682, 683f, 686f  
 squamata 670, 671, 682, 684f, 686, 686f, 687  
 whitei 684f  
 f. whitei 671, 683, 684  
 var. whitei 686f  
 xanthocephala 674  
 Inonotus 727  
 Inonotus  
 hispidus 729, 731, 731f  
 Iodosphaeria 816  
 Jola  
 sp. 801  
 Kafiakina 876  
 Karsteniomyces  
 sp. 533, 535  
 Kluveromyces  
 lactis 761, 763f  
 Korfia 742  
 Laboulbenia  
 nycteribiae 330  
 Labyrinthomyces 53f, 54f, 55, 56f, 58f, 60f, 61, 62  
 varius 50  
 Laccaria 455  
 bicolor 455, 578–582, 581f, 583f, 584  
 laccata  
 var. pallidifolia 575  
 Lachnellula 745, 754  
 calyciformis 746, 748, 750, 749f–752f  
 Lachnum 745, 746, 751–755  
 abnorme 745, 746, 748, 749, 750f, 751f, 753, 754f  
 bicolor 746, 748, 750, 753, 749f–752f  
 brasiliense 746, 748, 749, 753, 749f–752f, 754f  
 clandestinum 746, 748, 753, 754, 749f–752f, 754f  
 controversum 746, 748, 749, 753, 749f–752f, 754f  
 euterpes 746, 748, 749, 753, 749f–752f, 754f  
 fuscescens 746, 748, 749, 753, 749f–752f, 754f  
 nudipes 746, 748, 749, 753, 749f–752f, 754f  
 pteridophyllum 746, 748, 750, 753, 749f–752f  
 sclerotii 746, 748, 749, 753, 749f–752f, 754f  
 spartinae 746, 748, 749, 753, 749f–752f, 754f  
 virgineum 745, 746, 748, 749, 749f–752f, 753, 754f  
 Lactarius  
 quietus 636  
 Laetiporus  
 sulphureus 729, 731f  
 Lambertella 885, 887, 890, 892, 896, 897  
 langei 885, 886, 889, 890, 890f–892f, 892, 894f, 895f, 896, 897  
 subrenispora 886, 890, 890f–892f, 892, 894f, 895f  
**Lancisporomyces** 639, 641, 642  
**vernalis** 639, 640f, 641, 642  
 Langermannia  
 gigantea 483  
 Lanzia 885, 892  
 luteovirescens 885, 886, 890f–892f, 894f, 895f  
 Lasiosphaera 965  
 Lautitia 501  
 Lecanora  
 dispersa 761, 762, 763f  
 Leccinum 586  
 Legeriomyces 639, 641  
 Lentinula 400–402, 405, 406f  
 boryana 400–402, 403f, 404, 405, 406f  
 edodes 400, 401, 404, 405, 406f, 867–870, 870f, 872f, 873, 874  
 guarapiensis 400, 405  
 lateritia 400, 401, 404, 405, 406f  
 novaezelandiae 400, 401, 404, 405, 406f  
 Lentinus 400  
 edodes 400  
 Leotia 7  
 Leptographium 255, 862  
 terebrantis 667, 668  
 Leptosphaeria  
 maculans 455, 877, 881f  
 Leucangium 51, 53f, 54f, 55, 56f, 57, 58f, 60f  
 carthusianum 50, 52, 53, 55, 62  
 ophthalmosporum 55  
 Leucogaster  
 rubescens 716  
 Leucostoma  
 persoonii 760, 762, 763f–765f  
 Libertella 255  
 Linocarpon 965  
 Litschaueria 141, 142, 161  
 corticiorum 147, 156, 161, 162  
 epimyces 151f, 152, 154  
 Lophiostoma  
 crenatum 761, 763f  
 Lophodermium 742  
 australe 737–739, 739f  
 Lophophacidium 742  
 Lycoperdon  
 perlatum 205, 482  
 pyriforme 205  
 Lyophyllum  
 shimeji 228–232  
 Macrophoma 301  
 Magnaporthe 965  
 grisea 559  
 Malassezia  
 furfur 123  
 Marasmiellus  
 praecutis 31  
 Marasmius 398  
 androsaceus 31  
 cohaerens 482  
 spp. 575  
 Marssonina  
 rosae 103  
 Martellia  
 ellipsospora 714, 716  
 Massaria 8  
 Massarina  
 armatispora 118  
 Massarina  
 bipolaris 118  
 eburnea 115, 118  
 fronsisubmersa 118  
**ingoldiana** 114, 115, 116f, 117f, 118  
 palmetta 118  
 palmicola 118  
 thalassiae 118  
 velatasporea 118  
 Megacollybia  
 platyphylla 204, 210, 213f  
 Melampsora 702  
 Melampsorella 698, 702, 703  
 caryophyllacearum 698, 699, 700f, 704  
 symphytii 698, 699, 701, 701f, 702f  
 Melampsidium 702  
 Melanochaeta 162  
 Melanogaster  
 eurypermus 714, 716  
 Melanomma 126  
 Melanomma  
 pilosellum 124, 125f, 126  
 Melanospora 143, 144  
 Melanostigma 162  
 Melanotaenium 930  
 Meloidogyne  
 incognita 522  
 Meria



- laricis 735, 736, 738–742, 739f, 740f  
 laricis 1 737  
 laricis 2 737  
 laricis 3 737  
 laricis 4 737  
 laricis 5 737  
 parkeri 735  
 Merimbla 756, 757, 766, 768, 769  
 ingelheimensis 758, 764f, 765f, 766, 769  
 Meripilus  
 giganteus 729, 731f  
 Metameris 501  
 Metarhizium 850  
 anisopliae 66, 841  
 flavoviride 383  
 Microascus  
 cirrosus 761, 764f, 765f  
 trigonosporus 380f  
 Microdochium  
 bolleyi 170  
 Micromucor 837, 842  
 isabellinus 841  
 ramannianus  
 var. angulisporeus 839, 840, 843f  
 var. ramannianus 839, 840, 843f  
 Microscypha 751f, 754f  
 elisii 746, 748, 749, 753, 749f–752f  
 Microsporium 850  
 mansonii 123  
 Milesina 702  
 Mimeomyces 325  
 Mirandina  
 typica 523  
 Mitrula  
 elegans 736–738, 739f  
 Mollisia 8  
 Monacrosporiella 876  
 Monacrosporium 1, 10, 14, 16, 18, 876, 878, 880–882, 883f  
 cionopagum 878, 879f, 880, 881f, 882f  
 doedycoides 14–16, 18, 878, 879f, 880, 881f, 882f  
 ?doedycoides 5, 17f  
 ellipsosporum 878, 879f, 880, 881f, 882f  
 eudermatum 220–222, 223f, 224, 225f, 226  
 gephyropagum 878, 879f, 880, 881f, 882f  
 phymatopagum 877, 878, 879f, 880, 881f, 882f  
 polybrochum 5, 14–16, 15f, 17f, 18  
 psychophilum 5, 14, 17f, 18, 878, 879f, 880, 881f, 882f  
 sp. 5, 17f  
 thaumasium 878, 879f, 880, 881f, 882f  
 Monascus 768  
 purpureus 757, 760, 763f–765f, 766, 768  
 Monilia 895  
 Monilinia 885, 890–892, 897  
 Monilinia  
 fruticola 886, 890f–892f, 894f, 895f, 896  
 oxycocci 886, 890, 891, 890f–892f, 894f, 895f  
 urnula 886, 890, 891, 890f–892f, 894f, 895f  
 Monosporium 850  
 Morchella 7, 48, 59, 60f, 62  
 elata 50, 52, 53f, 54f, 56f, 58f, 761, 763f  
 esculenta 50, 53f, 54f, 56f, 58f, 202  
 semilibera 202  
 sp. 50, 53f, 54f, 56f, 58f  
 Mortierella 708, 837, 842, 850  
 alpina 839, 840, 843f  
 candelabrum 185, 187, 188  
 elongata 168, 171  
 humilis 839, 840, 843f  
 parvispora 837, 839, 840, 842, 843f  
 Mucor 296, 607, 850  
 heimalis 170, 533  
 var. heimalis 840  
 mucedo 170  
 piriformis 603–608, 606f  
 racemosus 295  
 spp. 604  
 Myceliophthora 957  
 Mycelium  
 sterile dematiaceum 1 533, 840  
 sterile dematiaceum 2 533, 840, 841  
 sterile dematiaceum 25–32 533  
 sterile dematiaceum 3 533, 841  
 sterile dematiaceum 4 533  
 sterile dematiaceum 5 533  
 sterile dematiaceum 6 533  
 sterile dematiaceum 7 533, 839, 843f  
 sterile dematiaceum 8 843f  
 sterile dematiaceum 8–24 533  
 sterile moniliaceum 1 533, 841  
 sterile moniliaceum 18 533  
 sterile moniliaceum 2 533  
 sterile moniliaceum 3 533  
 sterile moniliaceum 4 533  
 sterile moniliaceum 5 533  
 sterile moniliaceum 6 533  
 sterile moniliaceum 7–17 533  
 Mycena 398, 615  
 sect. Adonidae 627  
 sect. Basipedes 954  
 sect. Hygrocyboideae 627  
 sect. Sacchariferae 952  
 sect. Schariferiae 952  
 alphetophila 952  
 anoectochila 952, 953, 953f, 954  
 epipterygia 627  
 flavoalba 627  
 leaiana 205, 208, 210, 215  
 ochrogaleata 627  
 osmundicola 952  
 stylobates 953  
 Mycoarachis 769  
 inversa 756, 761f, 766, 767f  
 Mycocalicium  
 albonigrum 761, 763f  
 Myco-centrospora 501, 502  
 acerina 501  
 linariae 501, 502  
 verrucosa 502  
 Mycosphaerella 501, 502, 541  
 fagi 501  
 maculiformis 501  
 punctiformis 501  
 Myrioconium 888, 892, 895  
 Myriogenospora 375, 411, 431, 435–437  
 atramentosa 379, 380f, 433, 436–439, 435f–437f  
 linearis 439  
 Myriosclerotinia 885, 892, 896  
 scirpicola 886, 890f–892f, 894f, 895f  
 Myrothecium 381, 850  
 atroviride 841  
 roridum 841  
 Myxotrichum  
 ochraceum  
 var. stipitatum 841  
 Naemacyclus 742  
 Nais  
 inornata 817  
 Nakataea 171  
 sigmoidea 164, 169f, 171  
 Naohidemyces 703  
 spp. 703  
 Naohidemyces  
 vaccinii 704  
 Nectria 252, 512, 519, 768, 962  
 aureofulva 760, 766, 767f, 768  
 canadensis 439  
 cinnabarina 202, 255f, 380f, 760, 766, 767f  
 coamariospora 760, 767f  
 flavolanata 520  
 galligena 202  
 haematococca 255f, 423, 428  
 macrostoma 515  
 ochroleuca 760, 761, 766, 767f, 768  
 pseudotrichia 761, 767f  
 radicola 761, 767f  
 stilbellae 519  
 viridescens 380f  
 zonata 761, 767f  
 Nectria-like 515  
 Nectrispis  
 sporangiicola 760, 767f  
 Nematocionus 876, 878  
 robustus 876–880, 881f  
 Nematophagus 9, 876  
 Neocosmospora 252  
 vasinfecta 255f, 380f, 760, 767f  
 Neodasyscypha 754  
 cerina 746, 748–750, 749f–752f  
 Neohygrocybe  
 squarrosa 632  
 Neolecta 53f, 54f, 56f  
 vitellina 50, 52, 55, 59, 762, 763f  
 Neosartorya  
 fischeri 757, 760, 762, 763f–765f, 766, 769  
 Neotyphodium 431–433, 435–437, 558  
 coenophialum 379, 380f, 431, 432, 434–438, 435f–437f  
 lolii 379  
 uncinatum 380f  
 Neovossia 930  
 Neurospora 757  
 crassa 244, 246, 247, 255f, 564, 654, 760, 762, 763f–765f, 815, 817f, 877, 881f  
 sp. 47, 170  
 Nia  
 vibrissa 215  
 Nidula  
 sp. 205  
 Nigrospora 850  
 sphaerica 533  
 Nimbospora  
 effusa 816  
 octonae 816  
 Nodulisporium 250  
 didymosporium 256  
 Nomuraea 309  
 rileyi 66, 67f, 68, 69f, 70, 71  
 Nosema  
 acridophaga 383  
 Nummularia  
 sp. 506  
 Oberwinkleria 930  
 Oedemium 162  
 Oidiendendron  
 griseum 841  
 rhodogenum 840, 843f  
 Oligoporus  
 fragilis 205, 209, 211, 217  
 placentus 205, 209, 211  
 Omphalia  
 kewense 627  
 occidentalis 627  
 Ophioceras  
 leptosporum 817  
 Ophiodothis  
 aristidae 413  
 atramentosa  
 var. aristidae 413  
 gaduae 410, 413  
 henningsiana 411  
 vorax 413  
 Ophiognomonia 537–539, 541  
 cryptica 537, 539–545, 540f–542f, 544f  
 sp. 541  
 Ophiostoma 332, 333, 337, 668, 859  
 ainoae 337  
 brunneo-ciliatum 332, 337  
 caninii 332, 333, 334f, 337  
 clavigerum 858–864

- cucullatum 337  
 davidsonii 337  
 laricis 332, 337, 338  
 minus 332, 337, 666-668  
 montium 858-863, 863f  
 nigrocarpum 661, 666-668  
 novo-ulmi 332, 722, 723, 725  
 olivaceum 332, 337  
 penicillatum 332  
 piceae 332, 337  
 piliferum 255f, 601  
**simplex** 332, **333**, 335f, 336-338  
 sp. 202  
 spp. 338, 864  
 ulmi 760, 762, 763f-765f, 817  
*Orbilia* 3, 3f, 5-7, 10, 12-14, 19, 876, 878, 879  
 ?*alnea* 5  
*alnea* 5, 13, 17f  
*alnea-coccinella* 18  
*auricola* 879, 881f  
*auricolor* 5, 7f, 9, 17f, 18  
*coccinella-alnea-delicatula* 18  
*curvatispora* 9  
*delicatula* 3f, 4, 4f, 5, 7f, 11f, 17f, 18  
*fimicola* 3f, 5, 9, 17f, 18, 879  
*inflata* 5  
*leucostigma* 5  
*luteorubella* 3f, 5, 8, 13, 17f  
*piloboloides* 14  
 sp. 5, 17  
 spp. 14  
*vinosa* 878, 879f, 880, 881  
*xanthostigma* 13  
*Orbiliaster* 3  
*Orbiliella* 5  
*Oudemansiella* 398  
*Ovulinia* 885, 892, 896  
*azaleae* 886, 890f-892f, 894f, 895f, 897  
*Ovulitis* 895  
*Paecilomyces* 309, 317, 757, 766, 767, 850  
*canadensis* 827  
*carneus* 839, 840, 843f  
*farinosus* 533, 825-828, 840  
*fumosoroseus* 387  
*lilacinus* 533  
*tenuipes* 313  
*Panus*  
*rudis* 729, 731f  
*Papulaspora*  
*irregularis* 170  
*Paradoxa* 62  
*Parmelia*  
*taractica* 531-535, 534f, 535  
*Patinella* 3  
*tenebricosa* 5, 14, 17f, 18  
*Pedilospora* 10  
*Pedilospora*  
*dactylopaga* 10  
*Peethambara* 512  
*Peltigera*  
*praetextata* 531-535, 534f  
*Penicillioopsis* 757  
*Penicillium* 532, 601, 756-758, 763, 764, 766-769, 850, 852  
 sect. *Geosmithia* 756  
*aurantiogriseum* 533, 839, 840, 843f  
*canescens* 533, 840  
*chrysogenum* 760, 764f, 765f, 766, 839, 840, 843f  
*citreonigrum* 841  
*citrinum* 533  
*cyclopium* 614  
*griseofulvum* 533, 760, 766  
*griseoroseum* 840, 843f  
*implicatum* 841  
*janczewskii* 533, 839, 840, 843f  
*jenseni* 841  
*lavendulum* 756  
*melinii* 533, 841  
*miczynskii* 533  
*montanense* 841  
*oxalicum* 533  
*paxilli* 841  
*pinophilum* 533  
*purpurogenum* 533, 841  
*raciborskii* 533  
*roquefortii* 841  
 sp. 170  
*thomii* 841  
*verruculosum* 533  
*viridicatum* 533  
*waksmanii* 533  
*Peniophora*  
*nuda* 729, 731f  
*Pennella* 639, 642  
*Periconiella-like* 508  
*Peronophthora* 195  
*litchii* 195-197  
*Perrotia* 745, 749, 753, 754  
*distincta* 746, 748, 749, 749f-752f  
*flammea* 746, 748, 749, 749f-752f  
*Pestalotia*  
*truncata* 841  
*Peziza*  
*badia* 50, 53f, 54f, 56f, 761, 762, 763f  
*bulgarioides* 896  
*emarginata* 262  
*quelepidotia* 50, 53f, 54f, 56f  
 sp. 482  
*Phacidium* 742  
*infestans* 736-738, 739, 739f, 740f, 741  
*Phaeolus*  
*schweinitzii* 28, 30-32, 729, 731f  
*Phasarium*  
*polycephalum* 295  
*Phascolomyces*  
*articulosus* 185, 186, 187f, 188, 190f, 192f, 193  
*Phellinus* 32, 34  
*gilvus* 31, 32  
*igniarius* 28, 32  
*pini* 205, 208, 210, 215  
*sulphurascens* 29, 31, 32  
*weirii* 32-34  
*Phialemonium*  
*dimorphosporum* 202, 209, 210  
*Phialophora* 120, 129, 596, 895, 962, 963, 965  
*dimorphospora* 202, 209, 210  
*graminicola* 455, 456, 591, 596  
*malorum* 533  
*melinii* 202, 209, 210, 212f  
*parasitica* 202, 210  
 sp. 841  
 spp. 591  
*verrucosa* 129  
*Phialophora-like* 128, 129  
*Phillipsia* 259  
*domingensis* 258, 259, 263-265  
*Philophora* 850  
*Phlebia*  
*tremellosa* 205, 208-210, 215  
*Phoma* 171, 501, 532, 535, 786  
*dennisii* 533  
*eupyrena* 841  
*leveillei* 170  
*medicaginis*  
 var. *pinodella* 170  
*nebulosa* 841  
*putaminum* 532, 533, 840  
 sp. 840  
 sp. 1 533  
 sp. 2 533  
 sp. 3 533  
 sp. 4 533  
*Phragmospathula* 304, 307, 308  
*brachyspathula* 304, 305, 306f  
*papillifera* 304, 308  
*parva* 304, 305, 306f, 307f  
*phoenicis* 304, 305, 306f, 307, 308  
*roystoneae* 304, 307  
*Phycomyces*  
*blakesleeianus* 607, 608  
*Physarum*  
*polycephalum* 24, 971  
*Phytophthora* 89, 195, 197, 455  
*cactorum* 196  
*cinnamomi* 195  
*infestans* 196, 197, 289-291, 290f-292f  
*megasperma*  
 f. sp. *medicaginis* 292  
*mirabilis* 196, 197, 197f  
*parasitica* 196  
*porri* 196  
*sojae* 196  
*Piceomphale* 885, 896  
*bulgarioides* 886, 889, 890f-892f, 892, 894f, 895f  
*Pichia*  
*anomala* 761, 763f  
*membranaefaciens* 761, 763f  
*Picoa* 55  
*carthusiana* 55  
*juniperi* 55, 57  
*Piptarthron* 963  
*Piptocephalis*  
*virginiana* 185, 186, 188, 189f, 191f, 192f  
*Pisolithus*  
*tinctorius* 578, 584  
*Pithomyces* 850  
*chartarum* 533  
*Pithya* 259, 262, 264, 265  
*cupressina* 258-260, 263, 264, 264f  
*vulgaris* 258-260, 263  
*Plasmodiophora*  
*brassicae* 774  
*Plectania*  
*emarginata* 262  
*Plectophomella* 537, 541  
 sp. 545  
*Pleospora*  
*clavariarum* 145  
*herbarum* 761, 762, 763f  
*scirpicola* 114, 118  
*Pleuroceras* 539  
*Pleurostoma* 962  
*Pleurotus* 173, 177, 178f, 179, 400, 401, 575  
 "agaves" 173, 174  
*abieticola* 173, 174, **175**, 175f-178f, 177, 179  
*australis* 173, 174  
*cornucopiae* 174  
*djamor* 174, 177  
*dryinus* 173, 174, 177  
*eryngii* 173, 174, 177, 178f  
*ostreatus* 31, 34, 174, 177, 178f, 179, 400-402, 403f, 404, 405, 406f  
*populinus* 174, 177, 178f, 179  
*pulmonarius* 174, 177, 178f, 179  
*purpureo-olivaceus* 173, 174  
*tuberregium* 729, 731f  
*Pneumocystis*  
*carinii* 762, 763f  
*Poculum* 885, 887, 890, 892, 896, 897  
*henningsianum* 886, 890, 890f-892f, 894f, 895f, 896  
*sydowianum* 886, 890, 890f-892f, 894f, 895f, 896  
*Podospora* 908  
 sect. *Podospora* 908, 914  
*anserina* 25, 47, 373, 815-817f  
*appendiculata* 908, 909, 909f, 910f, 911, 913  
*dakotensis* 914  
*fimicola* 911  
*fimiseda* 908, 909, 911, 910f-913f, 913-915  
*miniglutinans* 914  
*perplexans* 908, 909, 915  
*tetraspora* 914, 915  
*vesticola* 908, 915  
*Podostroma* 443  
*Polyporus* 162  
*ciliatus* 372

- pargamensis 159, 161  
squamosus 729, 731f  
versicolor 161
- Polytrichiella* 120
- Poria*  
  *weirii* 29
- Porosphaerella* 143, 144
- Porosphaerellopsis* 144
- sporoschismophora* 144
- Porosphaeria*  
  *codanophora* 144
- Proliferodiscus*  
  *alboviridis* 745, 746, 748, 750, 752, 749f-752f
- Protomyces*  
  *inouyei* 738, 762, 763f  
  *lactuca-debilis* 762, 763f
- Protomycopsis* 924, 926, 928  
  *ajmeriensis* 924, 926, 930, 931f, 934  
  *crotalariae* 924, 926, 931f, 934, 935  
  *leucanthemi* 924  
  *patelli* 924-926, 925f, 927f, 928, 933, 934  
  *smithiae* 924, 926, 931f, 935  
  *thirumalacharii* 924-926, 932f, 935
- Pseudaegerita* 950  
  *viridis* 950
- Pseudalleacheria*  
  *boydii* 764f, 765f, 769
- Pseudocercospora* 501
- Pseudoclathrosphaerina* 942, 943, 948, 950**  
  *evamariae* 942, 943, 944f, 945f, 948
- Pseudodidymella* 495, 502**  
  *fagi* 494, 495, 495f, 496, 499f, 501
- Pseudofusarium*  
  sp. 877, 881f
- Pseudogibbellula* 309
- Pseudogymnoascus*  
  *roseus* 839, 840, 843f
- Pseudohalonectria*  
  *falcata* 817
- Pseudohiatula* 398
- Pseudorhizina* 53f, 54f, 56f, 58f, 60f, 62  
  *californica* 50
- Psilocybe*  
  *cyaneus* 275
- Puccinia* 455  
  *graminis* f.sp. *tritici* 775
- Pucciniastrum* 698, 702-704
- Pycnopeziza* 885, 892, 896  
  *sympodialis* 887, 890, 890f-892f, 894f, 895f, 896, 897
- Pycnopleiospora* 496, 500, 502**  
  *fagi* 494, 496, 497f-499f, 501
- Pyronema* 752
- Pythium* 195, 842  
  *aphanidermatum* 196  
  sp. 837, 839, 843, 843f  
  spp. 171
- ultimatum*  
  var. *sporangiferum* 196  
  *ultimum* 353-355, 358f, 359
- Radiigera*  
  *atrogleba* 716
- Radiomyces* 850
- Ramichloridium* 120  
  *anceps* 841
- Ramularia* 501
- Reddellomyces* 53f, 54f, 55, 56f, 58f, 60f, 61, 62  
  *donkii* 50
- Retrostium* 485, 487, 490-493**  
  *amphiroae* 484, 485, 487, 486f-489f, 490-493
- Rhabdocline* 735, 736, 738-743  
  *parkeri* 735, 736, 738, 742  
  *parkeri-1* 737, 739f, 740f  
  *parkeri-2* 737, 739f, 740f  
  *parkeri-3* 737, 739f, 740f  
  *parkeri-4* 737, 739f, 740f  
  *pseudotsugae* 735, 736, 738, 742  
  *pseudotsugae*  
    ssp. *epiphylla* 735, 737, 738  
  *pseudotsugae*  
    ssp. *pseudotsugae* 735, 736, 738, 740f, 742  
  *pseudotsugae-1* 737  
  *pseudotsugae-2* 737  
  *pseudotsugae-3* 737  
  spp. 735, 739  
  *weirii* 735, 736, 738  
  *weirii*  
    ssp. *oblonga* 735  
  *weirii*  
    ssp. *obovata* 735, 737, 738, 739f, 740f, 741  
  *weirii*  
    ssp. *weirii* 735, 738, 739, 741  
  *weirii*  
    ssp. *weirii-1* 737, 739f, 740f  
  *weirii*  
    ssp. *weirii-2* 737, 739f, 740f
- Rhabdogloeum* 739
- hypophyllum* 742  
  *pseudotsugae* 741, 742
- Rhadinomyces* 325
- Rhamphoria* 962
- Rhinoclatidiella* 120, 123, 129  
  *atrovirens* 123  
  sp. 533  
  *spinifera* 841
- Rhizina* 48, 51, 53f, 54f, 55, 56f, 58f, 59, 60f, 61  
  *undulata* 50, 52
- Rhizoctonia*  
  *oryzae-sativae* 168, 170  
  *solani* 29, 33, 163, 167, 168, 168f, 170, 171, 188, 353-355, 356f, 357, 361-363, 366, 372, 373  
  spp. 168, 171
- Rhizomyces* 330
- Rhizopogon* 63, 712, 716  
  *evadens* 712, 714, 716, 717, 719
- ochraceorubens* 714, 716, 717  
  sp. 714, 716  
  *subcaerulescens* 588f, 712, 714, 716, 717, 719, 720
- Rhizopus* 850  
  *arrhizus* 613, 614  
  *delemar* 614  
  *sexualis* 608  
  spp. 603
- Rhizostilbella* 512
- Rhodosporeidium*  
  *toruloides* 762, 763f, 766
- Rhodotorula* 850
- Rosellinia* 141  
  *subiculata* 203
- Roumegueriella* 769  
  *rufula* 760, 767f
- Russula* 481-483  
  *atmoenicolor* 482  
  *atropurpurea* 481-483  
  *chloroides* 482  
  *cyanoxantha* 482  
  *emetica*  
  var. *silvestris* 482  
  *erythropoda* 482  
  *farinipes* 482  
  *heterophylla* 482  
  *luteotacta* 482  
  *persicina* 482  
  *queletii* 482  
  *rosaceae* 482  
  *versicolor* 482  
  *vesca* 482
- Rutstroemia* 885, 887, 892, 895  
  *bolaris* 887, 890, 890f-892f, 894f, 895f  
  *firma* 887, 890, 890f-892f, 894f, 895, 895f, 896
- Rutstroemiaceae* 895**
- Saccharomyces*  
  *cerevisiae* 59, 175, 255f, 295, 402, 689, 695, 696, 729, 730, 731f, 761, 763f-765f, 766, 791, 815, 817f, 888
- Saprolegnia* 195, 196, 783  
  *diclina* 195-197  
  *ferax* 777-780, 782, 780f-782f
- Sarawakus* 443
- Sarcoscypha* 21, 258-266, 264f  
  *austriaca* 258-263, 264f, 265  
  *coccinea* 202, 258-263, 264f, 265, 266  
  *coccinea*  
  var. *jurana* 262  
  *dudleyi* 258-264, 264f, 265  
  *emarginata* 258-264, 264f, 265, 266  
  *javanica* 258-260, 263, 264f, 265  
  *jurana* 262  
  *macronesica* 258-260, 263, 264f, 265  
  *occidentalis* 258-261, 263, 264f, 265  
  *saxicola* 262  
  sp. A 260, 262-264, 264f, 266  
  sp. B 258, 260, 263, 264f, 265
- sp. C 260, 263, 264f, 265  
  sp. D 260, 261, 263, 264f, 265  
  sp. E 260, 263, 264f  
  *striatipora* 258-261, 263, 264f, 265  
  *vassiljevae* 258-261, 263, 264f, 265
- Sarcotrichia* 742
- Schizophyllum*  
  *commune* 29, 372, 373, 916, 917, 922
- Schizosaccharomyces*  
  *pombe* 246, 696, 761, 763f, 815, 817f
- Sclerocystis* 73
- Scleroderma*  
  *hypogaeum* 716
- Sclerogaster* 712  
  *xerophila* 712, 714, 716, 717, 720
- Sclerotinia* 7, 742, 750f, 885, 887, 892, 896  
  *cepivorum* 897  
  *homeocarpa* 887, 890, 890f-892f, 892, 894f, 895f, 896  
  *minor* 170  
  *sclerotiorum* 172, 736, 737, 739, 739f, 748, 751, 751f, 877, 881f, 887, 890f-892f, 892, 894f, 895, 895f, 896, 897  
  spp. 83, 86, 87  
  *tetraspora* 897  
  *trifoliorum* 82, 83, 84f, 85, 86, 86f, 87  
  *hydrophilum* 168, 170
- Sclerotium*  
  *oryzae* 163-165, 165f, 167, 168f, 169f, 170, 171  
  *rollsii* 170, 598, 600f
- Scoleconectria*  
  *curcubitula* 439
- Scopulariopsis* 851  
  *chartarum* 841
- Scotiosphaeria* 143, 144  
  *endoxylinae* 143
- Scutellospora* 72, 79, 344, 547  
  *arenicola* 548, 549, 549f  
  *calospora* 548-550, 548f, 549f  
  *dipurpureus* 343
- Scytalidium*  
  *lignicola* 202, 208, 210  
  *vaccinii* 455
- Sedecula*  
  *pulvinata* 716
- Selenosporella* 816
- Sepedonium* 756, 766, 768
- Septoria* 501
- Setosphaeria* 143
- Smittium* 109, 111, 112  
  *culicis* 111  
  *culisetiae* 111  
  *longisporum* 109, 110f, 112  
  *perforatum* 109, 110f, 112
- Solenopezia* 753, 754f

- solenia 746, 748, 749, 753, 749f-752f  
 Sordaria 851  
   fimicola 815, 817f  
 Sordaria-type 143  
 Sparassis  
   spatulata 729, 731f  
 Spathulospora 484, 487, 489-493, 492f  
   lanata 489, 492f  
   phycophila 484  
 Spegazzinia  
   tessartha 202, 208, 210  
 Sphacelia 431, 432, 436  
 Sphacelia-like 433, 436, 437  
 Sphaerellopsis 171  
 Sphaerellopsis  
   filum 171  
 Sphaeria  
   clavarium 145  
   clavariina 145  
   pilosella 124, 126  
   porothelia 161  
 Sphaerobolus  
   stellatus 206, 211, 215  
 Sphaeronaemella  
   fimicola 56  
 Sphaeropsis 301  
   sapinea 525-529  
   tumefaciens 301  
 Sphaerostilbella 512, 766  
   aureonitens 255f, 760, 767f  
   lutea 760, 767f  
 Sphaerotheca  
   pannosa 108  
 Sphaleromyces 325  
 Spicellum 256  
   roseum 250-256, 253f-256f  
 Spiniger  
   meineckellus 93  
 Spirophaera 950  
 Spongipellis  
   unicolor 729, 731f  
 Sporidesmiella 255  
 Sporocybe  
   pruinosis 517  
 Sporoschisma 144, 162  
 Sporothrix 250, 851  
   schenckii 841  
 Sporothrix-like 508  
 Stachybotrys 381, 851  
   atra 533  
   elegans 188  
 Stachylina 109, 112  
   penetralis 111, 112  
 Staphylotrichum 958  
 Stemonitis  
   flavogenita 242  
   fusca 241, 242  
   herbatica 241, 242  
   species 241  
 Stereum 159  
   gausapatum 32  
   hirsutum 159, 729, 731f  
   ostrea 159  
   sp. 156, 159  
 Stigmatomyces  
   fuscipes 330  
 Stilbella 512, 519, 520  
   sect. Didymostilbella 520  
   subg. Gracilipedes 520  
   subg. Stilbella 520  
   subg. Stilbella 520  
   aciculosa 519  
   albocitrina 519, 520  
   annulata 519, 520  
   bucidae 520  
   ecuadorensis 520  
   emerellopsis 519  
   flavipes 512, 515, 517, 519  
   holubovae 520  
   pseudobambusae 520  
 Stilbum  
   flavipes 517, 519  
   pruinosis 517  
 Stipella 639, 642  
 Strobilurus 398  
 Stromatinia 885, 892  
   rapulum 887, 890, 890f-892f, 894f, 895f, 897  
 Suillus 63, 455, 586, 587, 588f, 589, 921  
   amaranthii 589  
   americanus 588f  
   asiaticus 588f  
   bovinus 588f  
   brevipes 587, 588f  
   caerulescens 588f  
   cavipes 588f  
   collinitus 588f  
   cothurnatus 588f  
   decipiens 588f  
   glandulosipes 588f  
   granulatus 30, 588f  
   grevillei 455, 586, 587, 588f, 589  
   grisellus 588f  
   intermedius 588f  
   lakei 588f  
   laricinus 588f  
   luteus 588f  
   neolbidipes 588f  
   ochraceoroseus 588f  
   paluster 588f  
   placidus 588f  
   pseudobrevipes 588f  
   punctipes 588f  
   pungens 588f  
   sibiricus 588f  
   sinuspaulianus 588f  
   spectabilis 588f  
   spraguei 588f  
   subalutaceus 588f  
   subaureus 588f  
   subluteus 588f  
   suilloides 588, 589  
   tomentosus 588f  
   tridentinus 588f  
   umbonatus 588f  
   variegatus 586, 587, 588f  
   weaveri 587, 588f  
 Sympodioclathra 942, 945, 950  
 globosa 942, 946, 946f, 947f, 948, 950  
 Syncephalastrum 851  
 Synchronium  
   endobioticum 772-775, 774f  
   phaseoli 924, 933  
 Talaromyces 756, 757, 766, 768, 769  
   avellaneus 756, 758, 759, 763f-765f, 766, 767f, 769  
   bacillosporus 756-759, 762, 763f-765f, 766  
   ebruneus 756, 758, 763f-765f, 766  
   emersonii 756, 758, 763f-765f, 766  
   flavus  
     var. macrosporus 756, 757, 760, 762, 763f-765f, 766  
   spp. 757  
 Tapesia 752  
 Taphrina  
   deformans 255f, 815, 817f  
   populina 761, 763f  
   wiesneri 761, 763f  
 Teichospora  
   collapsa 126  
 Thanatophorus  
   cucumeris 354, 361-363, 364f, 365, 366, 367f-371f, 372, 373  
   praticola 246, 729, 731f  
 Thekopsora 698, 702-704  
   areolata 698, 699, 701, 703f  
 Thermoascus 757  
   crustaceus 760, 763f-765f  
 Thermomyces 766  
   lanuginosus 760  
 Thielaviopsis  
   basicola 353-355, 355f, 356f, 357, 793, 795-799, 795f, 797f, 798f  
 Thyronectria  
   lamii 439  
 Thysanothecium 906  
 Tiarospora  
   parca 737  
 Tilletia 926, 928, 930  
   sterilis 930  
 Tolypocladium  
   geodes 533  
   nivum 533  
   sp. 533  
 Torrubia 309  
   ratticaudata 317  
 Torulaspora  
   delbrueckii 761, 763f  
 Torulomyces 851  
 Trametes  
   suaveolens 729, 731f  
   versicolor 29, 31, 32, 205, 209, 211  
 Trappea  
   darkeri 715, 716  
 Tremella 244, 248  
 Trichaptum 727-731, 731f, 733  
   abietinum 205, 727-731, 731f, 732f, 733  
   fusco-violaceum 727, 728, 730, 731, 731f, 732f, 733  
   fuscoviolaceum 161  
   laricinum 727, 728, 731, 731f, 732f, 733  
 Trichocladium  
   opacum 840  
 Trichocoma 757  
 Trichoderma 442, 443, 447, 449, 451, 455, 458, 519, 532, 837, 842, 851  
   sect. Hypocreanum 443, 512, 519  
   sect. Longibrachiatum 442-444, 446-458  
   sect. Pachybasium 443, 445-448, 452, 453, 456-458  
   sect. Saturnisporum 442, 433, 445-449, 452f, 453f, 454, 457, 458  
   sect. Trichoderma 443, 446-448, 450, 452, 453, 453f, 457, 458  
   atroviride 446, 448, 453, 453f, 457  
   aureoviride 457  
   citriniviride 442-444, 448-450, 452, 451f-453f, 454, 455, 456  
   ghanense 442, 445, 448, 449, 451f-453f, 454, 456  
   hamatum 444, 445, 447, 448, 450, 453, 451f-453f, 455, 457, 840  
   harzianum 170, 172, 442, 446-448, 450, 453, 453f, 454, 457, 533, 839, 840, 843f  
   inhamatum 446, 448, 450  
   koningii 445, 446, 448, 457  
   lactea 519  
   longibrachiatum 442-445, 448-452, 451f, 452f, 453f, 454-457  
   parceramosum 442-450, 452, 451f-453f, 454, 456  
   piluliferum 841  
   polysporum 445, 448, 452f, 453f, 533, 840  
   pseudokoningii 442-444, 448, 449, 452, 451f-453f, 454-457  
   reesei 442-444, 448-450, 452, 451f-453f, 454, 457  
   reesei? 446  
   saturnisporum 442, 445, 448-450, 452, 451f-453f, 454  
   sp. 229, 230  
   spec. 444  
   spp. 171  
   todica 442, 443, 445, 449, 451f, 452f, 454  
   virens 760, 767f  
   virgatum 444



- viride 170, 446, 448, 449, 450, 452, 453, 451f-453f, 457, 533, 841
- Tricholoma  
matsutake 228, 231, 232  
scalpturatum 482
- Trichopezia 753, 754f  
sulphurea 746, 748, 749, 749f-752f
- Trichopezizella 754  
nidulus 746, 748-750, 753, 749f-752f
- Trichophyton  
rubrum 760, 763f-765f
- Trichosphaerella 962
- Trichothecium 5, 15, 255, 256, 851, 876, 878, 879  
roseum 5, 250, 252, 253, 253f, 255, 255f, 256, 878-880, 879f, 881f, 882f
- Trichothecium-like 256
- Trichozygospora  
chironomidarum 641
- Trinacrium 1, 16
- Tritirachium 250, 255
- Trogia 398
- Truncatella  
sp. 533
- Truncocolumella  
citrina 588f
- Trybliidiopsis 742  
pinastri 737-739, 739f
- Tuber 48, 53f, 54f, 55, 56f, 58f, 59, 60f, 62  
aff. gibbosum 50  
levissimum 712, 715-717
- Tubercularia 512
- Tulasnella  
areneosa 204  
pruinosa 204
- violeta 204
- Tympanis 962, 965
- Typhula 601
- Ulocladium  
alternariae 533
- Uncinocarpus  
reesii 760, 764f-765f
- Underwoodia 51, 53f, 54f, 55, 56f, 58f, 60f  
columnaris 50
- Uredinopsis 702
- Uredo 802  
beticola 802  
**vetus 801, 802, 802f**
- Urnula  
craterium 202
- Uromyces  
appendiculata 704  
appendiculatus 551, 552, 553f, 554f, 554-556
- Ustilago  
maydis 689, 690, 691f, 693, 694f, 695f, 695-697
- Valdensinia 885, 890, 892  
heterodoxa 887, 890, 890f-892f, 894f, 895f, 897
- Valsaria  
rubricosa 515
- Valsonectria 512, 515, 519  
boldoae 515  
cinnamomi 515  
hypoxylodes 515  
pulchella 515  
reticulata 515  
**simpsonii 512, 513f, 514f, 515**
- Vararia  
amphithallica 575
- Venturia 129  
carpopila 129  
hanliniana 120, 129
- systema-solare 129
- Vermicularia  
gloeosporioides 428
- Verpa 52  
bohemia 50, 53f, 54f, 56f, 58f, 202  
conica 50, 53f, 54f, 56f, 58f
- Verpatinia 885, 892, 896  
calthicola 887, 890, 890f-892f, 894f, 895f  
spiraeicola 887, 890, 890f-892f, 894f, 895f
- Verticillium 756, 766, 768, 851  
bulbillosum 839, 840, 843f  
catenulatum 533  
cephalosporum 841  
chlamydosporium 840  
dahliae 353-355, 357f  
lecanii 826-828
- Verticillium-like 519
- Virgatospora 512
- Volutella  
ciliata 841
- Waitea  
circinata 168, 171
- Wardomyces 851
- Woroninula 9, 876
- Wynnella 53f, 54f, 56f, 58f, 60f, 61
- Xerocomus  
chrysenteron 729, 731f
- Xeromphalina 393, 398  
austroandina 393, 394, 394f  
campanella 393, 394, 394f, 398  
campanelloides 393, 394, 395f  
cauticinalis  
ssp. cauticinalis 393, 395, 395f  
cauticinalis  
ssp. pubescentipes 393, 395, 395f
- cornui 393, 395, 396f  
fraxinophila 393, 395, 396f  
fulvipes 393, 396, 396f  
helbergeri 393, 396, 396f  
kauffmanii 393, 397, 397f  
parvibulbosa 393, 397, 397f  
tenuipes 393, 397, 397f
- Xerula 398
- Xylaria  
hypoxylon 255f, 375, 380f  
polymorpha 203, 208, 210
- Yarrowia  
lipolytica 246
- Zeugandromyces 325, 330  
australis 325  
orientalis 325
- Zoophagus  
insidians 268, 271, 272  
pectosporus 268, 271, 272  
tentaculum 268, 269f, 270f, 271, 272, 272f
- Zopfia 958
- Zopfiella 955, 957, 958, 961  
flammifera 959  
latipes 958, 959  
leucotricha 958, 959  
marina 958, 959  
**submersa 955, 958, 959f, 960f, 961**  
tardifaciens 958
- Zygopolaris 639, 641  
ephemeridarum 641
- Zygorhynchus  
macrocarpus 608  
moelleri 607, 608, 839, 840, 842, 843f
- Zygosaccharomyces  
rouxii 761, 763f

## HOST INDEX

**The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.**

- Abies  
Pleurotus abieticola 176  
Trichaptium fusco-violaceum 728
- Absidia  
Ascochyta mycoparasitica 163
- Acer  
Lanzia luteovirescens 886
- Acorypha  
Beauveria bassiana 386
- Actinidia  
Colletotrichum acutatum grp. A 424
- Aedes  
Coelomomyces indicus 835
- stegomyiae 830
- Agrostis  
Epichloë 559  
Epichloë amarillans 433  
baconii 433  
Gaeumannomyces graminis var. avenae 590  
Neotyphodium 379  
Sclerotinia homoeocarpa 887
- Allium  
Gigaspora rosea 293
- Alnus  
Inocybe flocculosa var. flocculosa 675
- Ammophila  
Glomus gibbosum 341
- Amphiroa  
Retrostium amphiroae 484
- Andromeda  
Lambertella langei 886
- Andropogon  
Balansia henningsiana 409
- Anemone  
Dumontinia tuberosa 886
- Annona  
Colletotrichum acutatum grp. A 424  
gloeosporioides grp. G 424
- Anoetochilus  
Mycena anoetochila 952
- Anopheles  
Coelomomyces dodgei 834  
punctatus 834
- Araucaria  
Botryodiplodia theobromae 302  
Dothoriella sp. 302
- Aristida  
Balansia aristidae 409
- Artipus  
Beauveria bassiana 385
- Arundinaria  
Echinodothis tuberiformis 433
- Arundo  
Zopfiella submersa 958
- Ascochyta  
Ascochyta mycoparasitica 168
- Aspavia  
Beauveria bassiana 385
- Aster  
Lambertella subrenispora 886
- Avena  
Gaeumannomyces graminis var. avenae 590
- Axonopus  
Balansia nigricans 433
- Ballia  
Spathulospora 490
- Bambusa  
Balansia gaduae 416
- Betula  
Ciboria betulae 886  
Inocybe dulcamara 672

- Inocybe flocculosa* var. *flocculosa* 675  
*Ophiognomonia lapponica* 539  
*Pycnopeziza sympodialis* 887  
*Rutstroemia bolaris* 887  
*Betulus*  
   *Capronia pilosella* 126  
*Bombyx*  
   *Beauveria bassiana* 385  
*Brassica*  
   *Sclerotinia sclerotiorum* 737  
*Calocedrus*  
   *Chloroscypha enterochroma* 737  
*Capnia*  
   *Genistella* sp. 641  
*Capsicum*  
   *Colletotrichum acutatum* grp. A 424  
     *coccodes* 422  
     *gloeosporioides* grp. E 422  
     *gloeosporioides* grp. F 424  
     *gloeosporioides* grp. G 424  
*Carex*  
   *Ascovaginospora stellipala* 812  
   *Poculum henningsianum* 886  
*Carpinus*  
   *Capronia pilosella* 126  
*Casimiroa*  
   *Colletotrichum acutatum* grp. A 424  
*Cenchrus*  
   *Balansia oblecta* 433  
*Chasmathium*  
   *Balansia pilulaeformis* 433  
*Choanephora*  
   *Piptopeziza virginiana* 185  
*Choristoneura*  
   *Paecilomyces farinosus* 828  
*Chusquea*  
   *Amanita pseudospreti* 284  
*Citrullus*  
   *Colletotrichum coccodes* 424  
     *orbiculare* 424  
*Citrus*  
   *Colletotrichum acutatum* grp. C 424  
     *gloeosporioides* grp. C 422  
     *gloeosporioides* grp. E 422  
     *gloeosporioides* grp. F 424  
     *gloeosporioides* grp. G 424  
     *gloeosporioides* grp. H 422  
*Clavaria*  
   *Helminthosphaeria clavariarum* 147  
*Cocos*  
   *Phragmospathula species* 304  
*Cornus*  
   *Alternaria* 856  
   *Cladosporium* 856  
   *Epicoccum* 856  
   *Venturia systema-solare* 129  
*Corylus*  
   *Capronia pilosella* 126  
   *Encoelia fascicularis* 886  
   *Melanomma pilosella* 126  
   *Cosmopolites*  
     *Beauveria bassiana* 385  
   *Crotalaria*  
     *Erratomyces crotalariae* 934  
     *Protomycopsis crotalariae* 924  
   *Cryptomeria*  
     *Hyphoderma acystidiatum* 133  
   *Cucumis*  
     *Colletotrichum orbiculare* 424  
   *Cucurbita*  
     *Colletotrichum acutatum* grp. A 424  
       *coccodes* 424  
       *gloeosporioides* grp. G 424  
       *orbiculare* 424  
   *Culiseta*  
     *Coelomomyces psorophorae* 830  
   *Cydia*  
     *Beauveria bassiana* 385  
   *Cydonia*  
     *Colletotrichum acutatum* grp. A 424  
   *Cylas*  
     *Beauveria bassiana* 385  
   *Cynips*  
     *Exophiala* sp. 124  
   *Cynodon*  
     *Gaeumannomyces graminis* var. *graminis* 590  
   *Cyperus*  
     *Balansia cyperi* 433  
   *Cyphomandra*  
     *Colletotrichum acutatum* grp. A 424  
       *acutatum* grp. C 424  
       *coccodes* 424  
       *gloeosporioides* grp. I 424  
   *Dactylis*  
     *Epichloë* 559  
   *Danthonia*  
     *Atkinsonella hypoxylon* 433  
   *Dasylium*  
     *Barrina polyspora* 963  
   *Dendroctonus*  
     *Ceratocystisopsis brevicornis* 661  
       *collifera* 661  
       *ranaculosus* 661  
     *Ophiostoma clavigerum* 858  
     *montium* 858  
   *Diabrotica*  
     *Beauveria bassiana* 385  
   *Diamesa*  
     *Smittium perforatum* 111  
   *Diaprepes*  
     *Beauveria bassiana* 385  
   *Diaspina*  
     *Beauveria bassiana* 385  
   *Diospyros*  
     *Colletotrichum acutatum* grp. A 424  
       *acutatum* grp. C 424  
       *gloeosporioides* grp. A 424  
       *gloeosporioides* grp. D 424  
   *Distyla*  
     *Zoophagus tentaculum* 272  
   *Dryas*  
     *Inocybe freisii* 680  
   *Eleagnus*  
     *Valsonectria simpsonii* 515  
   *Elymus*  
     *Epichloë* 559  
     *Epichloë* sp. 433  
   *Epilobium*  
     *Glomus verruculosum* 810  
   *Epinotia*  
     *Beauveria bassiana* 385  
   *Eremochloa*  
     *Gaeumannomyces graminis* var. *graminis* 590  
   *Erythronium*  
     *Ciborinia erythronii* 886  
   *Eucalyptus*  
     *Dingleya* 61  
     *Labyrinthomyces* 61  
     *Reddellomyces* 61  
   *Fagus*  
     *Capronia pilosella* 126  
     *Inocybe flocculosa* var. *flocculosa* 675  
     *Inocybe freisii* 680  
     *Inocybe whitei* f. *whitei* 684  
     *Mycosphaerella fagi* 501  
       *maculiformis* 501  
       *punctiformis* 501  
     *Pseudodidymella fagi* 496  
     *Pycnopleiospora fagi* 496  
   *Feijoa*  
     *Colletotrichum acutatum* grp. A 424  
       *acutatum* grp. B 424  
   *Festuca*  
     *Claviceps purpurea* 433  
     *Epichloë* 559  
     *festucae* 433  
     *Neotyphodium coenophialum* 433  
   *Ficus*  
     *Colletotrichum acutatum* grp. B 424  
       *gloeosporioides* grp. B 424  
       *gloeosporioides* grp. C 424  
   *Filipendula*  
     *Verpatinia spiraeicola* 887  
   *Fragaria*  
     *Botrytis cinerea* 886  
     *Colletotrichum acutatum* grp. A 424  
       *miyabeana* 424  
   *Gadua*  
     *Balansia regularis* 416  
   *Galaxaura*  
     *Hispidicarpomyces* 490  
   *Gastrodia*  
     *Mycena aliphitophora* 952  
   *Glyceria*  
     *Epichloë* sp. 433  
     *Glomus verruculosum* 810  
   *Gossypium*  
     *Humicola fuscoatra* 707  
     *Thielaviopsis basicola* 794  
   *Grandinia*  
     *Helminthosporium odontiae* 153  
   *Harzia*  
     *Ascochyta mycoparasitica* 163  
   *Helichrysum*  
     *Glomus gibbosum* 341  
   *Heterorhabditis*  
     *Arthrobotrys oligospora* 220  
     *Geniculifera paucispora* 220  
     *Monacrosporium eudermatum* 220  
   *Hieracium*  
     *Glomus gibbosum* 341  
   *Hispolepis*  
     *Beauveria bassiana* 385  
   *Holcus*  
     *Epichloë* 559  
       *clarkii* 433  
   *Hoplochelus*  
     *Beauveria bassiana* 385  
   *Hordeum*  
     *Gaeumannomyces graminis* var. *tritici* 590  
   *Hyphoderma*  
     *Helminthosphaeria corticiorum* 147  
     *Helminthosporium hyphodermiae* 142  
       *odontiae* 153  
   *Hyphodontia*  
     *Helminthosphaeria corticiorum* 147  
   *Hypothenemus*  
     *Beauveria bassiana* 385  
   *Ichnanthus*  
     *Balansia subnodosa* 416  
   *Iris*  
     *Botryotinia convoluta* 886  
     *Verpatinia calthicola* 887  
   *Juglans*  
     *Grovesinia pyramidalis* 886  
   *Larix*  
     *Ceratocystisopsis falcata* 332  
     *Ceratocystis allantospora* 332  
       *autographa* 332  
       *coerulescens* 332  
       *laricola* 332  
     *Graphium simplex* 337  
     *Meria laricis* 735  
       *laricis* 1 737  
       *laricis* 2 737  
       *laricis* 3 737  
       *laricis* 4 737  
       *laricis* 5 737  
     *Ophiostoma brunneo-ciliatum* 332  
       *galeiformis* 332  
       *laricis* 332  
       *minus* 332  
       *olivaceum* 332  
       *piceae* 332  
     *Trichaptum laricinum* 728  
   *Lasiacis*  
     *Valsonectria lasiacidis* 515  
   *Lentinula*

- Eleutheromyces subulatus* 867  
*Hyphozyma* 867  
*Lepadella*  
*Zoophagus tentaculum* 268  
*Leptinotarsa*  
*Beauveria bassiana* 385  
*Leptospermium*  
*Labyrinthomyces* 61  
*Leptospermum*  
*Reddellomyces* 61  
*Ligustrum*  
*Gloeosporium cingulatum* 428  
*Glomerella cingulata* 428  
*Gnomoniopsis cingulata* 428  
*Lolium*  
*Epichloë* 559  
*typhina* 433  
*Lupinus*  
*Capronia hanliniana* 128  
*mansonii* 123  
*Colletotrichum acutatum* 420  
*Venturia hanliniana* 129  
*Lycopersicon*  
*Colletotrichum acutatum* grp.  
C 424  
*coccodes* 424  
*gloeosporioides* grp. F 424  
*gloeosporioides* grp. G 424  
*gloeosporioides* grp. H 424  
*miyabeana* 424  
*Lymantria*  
*Beauveria bassiana* 825  
*Entomophaga maimaiga* 825  
*Paecilomyces farinosus* 825  
*Maliarpha*  
*Beauveria bassiana* 385  
*Malus*  
*Colletotrichum acutatum* grp.  
A 424  
*acutatum* grp. B 424  
*acutatum* grp. C 424  
*gloeosporioides* grp. A 424  
*Mamestra*  
*Beauveria bassiana* 385  
*Medicago*  
*Glomus versiforme* 37, 610  
*Sclerotinia trifoliorum* 82  
*Melanoplus*  
*Beauveria bassiana* 386  
*Melia*  
*Valsonectria pulchella* 515  
*Monostyla*  
*Zoophagus tentaculum* 271  
*Mortierella*  
*Ascochyta mycoparasitica* 168  
*Mucor*  
*Ascochyta mycoparasitica* 168  
*Musa*  
*Colletotrichum musae* 424  
*Myoporum*  
*Sclerotium rolsii* 598  
*Nemoura*  
*Lancisporomyces vernalis* 639  
*Nicotiana*  
*Thielaviopsis basicola* 794  
*Nothofagus*  
*Amanita pseudospretia* 284  
*Capronia pilosella* 126  
*Oebalus*  
*Beauveria bassiana* 385  
*Orthocladus*  
*Smittium longisporum* 109  
*perforatum* 111  
*Oryza*  
*Arthrobotrys foliicola* 878  
*Gaeumannomyces graminis*  
var. *graminis* 590  
*Ostrinia*  
*Beauveria bassiana* 385  
*Otioryncus*  
*Beauveria bassiana* 385  
*Pachneus*  
*Beauveria bassiana* 385  
*Panicum*  
*Balansia gaduae* 409  
*stragulans* 433  
*subnodosa* 409  
*Paspalum*  
*Myriogenospora atramentosa*  
433  
*Passiflora*  
*Colletotrichum*  
*gloeosporioides* grp. A 424  
*gloeosporioides* grp. E 424  
*gloeosporioides* grp. I 424  
*Peniophora*  
*Helminthosphaeria*  
*corticium* 147  
*Pennisetum*  
*Claviceps fusiformis* 433  
*paspali* 433  
*Persea*  
*Colletotrichum acutatum* grp.  
A 424  
*gloeosporioides* grp. B 424  
*gloeosporioides* grp. F 424  
*Petasites*  
*Glomus gibbosum* 341  
*Phaneridium*  
*Helminthosphaeria*  
*corticium* 148  
*Phanerochaete*  
*Helminthosphaeria*  
*corticium* 147  
*Phascolomyces*  
*Piptocephalis virginiana* 185  
*Phaseolus*  
*Entyloma vignae* 925  
*Synchytrium phaseoli* 924  
*Uromyces appendiculatus* 551  
*Phoenix*  
*Phragmospathula phoenicis*  
304  
*Phragmites*  
*Zopfiella submersa* 958  
*Phyllognathopus*  
*Coelomomyces stegomyiae* 830  
*Coelomomyces stegomyiae* var.  
*stegomyiae* 830  
*Physalis*  
*Colletotrichum acutatum* grp.  
A 424  
*Picea*  
*Darkera parca* 737  
*Hymenoscyphus virgultorum*  
886  
*Inocybe flocculosa* var.  
*flocculosa* 675  
*Inocybe phaeocomis* var.  
*major* 681  
*Ophiostoma cainii* 333  
*Piceomphale bulgaroides* 886  
*Tiasporella parca* 737  
*Pinus*  
*Botryosphaeria dothidea* 302  
*Colletotrichum acutatum* f.sp.  
*pineum* 422  
*Cyclaneusma minus* 737  
*Dothoriella* 302  
*Inocybe flocculosa* var.  
*flocculosa* 675  
*Laccaria bicolor* 578  
*Lophodermium australe* 737  
*Lyophyllum shimeji* 228  
*Phacidium infestans* 737  
*Sphaeropsis sapinea* 525  
*Trichaptum abietinum* 728  
*Tryblidiopsis pinastri* 737  
*Pipturus*  
*Botryosphaeria pipturi* 301  
*Plantago*  
*Glomus gibbosum* 339  
*multiformum* 805  
*verruculosum* 810  
*Poa*  
*Epichloë* 559  
*Glomus multiformum* 805  
*Neotyphodium* 379  
*Polygonatum*  
*Stromatinia rapulum* 887  
*Polyporus*  
*Ascodinaea polyporicola* 159  
*Populus*  
*Capronia mansonii* 123  
*munkii* 123  
*Ciboria whetzelii* 886  
*Dictyotrichiella semiimmersa*  
128  
*Inocybe dulcamara* 672  
*flocculosa* var. *flocculosa*  
675  
*geophylla* 685  
*giacomii* 676  
*griseolilacina* 677  
*ladera* 685  
*longispora* 678  
*mixtilis* 679  
*nitidiuscula* 680  
*phaeocomis* var. *major* 681  
*squamata* 683  
*flavella* var. *flavella* 674  
*Pleurotus populinus* 177  
*Prunus*  
*Herpotrichiella moravica* 126  
*Monilinia oxycocci* 886  
*Thekopsora areolata* 699  
*Trichaptum bifforme* 728  
*Venturia carpophila* 129  
*Pseudoplusia*  
*Nomuraea rileyi* 68  
*Pseudotsuga*  
*Inocybe phaeocomis* var.  
*major* 681  
*Ophiostoma davidsonii* 337  
*Rhabdocline* 735  
*parkeri* 1 737  
*parkeri* 2 737  
*parkeri* 3 737  
*parkeri* 4 737  
*pseudotsugae* 1 737  
*pseudotsugae* 2 737  
*pseudotsugae* 3 737  
*weirii* ssp. *obovata* 737  
*weirii* ssp. *weirii* 1 737  
*weirii* ssp. *weirii* 2 737  
*pseudotsugae* ssp. *epiphylla*  
737  
*Pyrus*  
*Colleotrichum miyabeana* 424  
*acutatum* grp. A 424  
*acutatum* grp. C 424  
*gloeosporioides* grp. B 424  
*Quercus*  
*Alternaria* 545  
*Pipturus*  
*Asteromella* sp. 545  
*Aureobasidium pullulans* 545  
*Ceratocystis fagacearum* 468  
*Cladosporium* sp. 545  
*Colpoma quercinum* 737  
*Exophiala* sp. 124  
*Herpotrichiella* cfr. *moravica*  
126  
*Inocybe flocculosa* var.  
*flocculosa* 675  
*Lentinula edodes* 867  
*Ophiognomonia cryptica* 539  
*Plectrophomella* sp. 545  
*Pleuroceras quercicola* 539  
*quercinum* 539  
*virgularum* 539  
*Poculum sydowianum* 886  
*Rutstroemia firma* 887  
*Ranunculus*  
*Sclerotinia sclerotiorum* 887  
*Rhizoctonia*  
*Ascotypha mycoparasitica* 163  
*Rhododendron*  
*Ovulina azaleae* 886  
*Rosa*  
*Diplocarpon rosae* 103  
*Roystonea*  
*Phragmospathula*  
*brachyspathula* 305  
*parva* 305  
*phoenicis* 304  
*Salix*  
*Capronia collapsa* 126  
*pilosella* var. *longiseta* 126  
*Ciboria caucis* 86  
*Ciboria foliicola* 886  
*Colletotrichum miyabeana* 422  
*Herpotrichiella collapsa* 126  
*Inocybe dulcamara* 672

- flocculosa var. flocculosa 675  
 freisii 680  
 longispora 678  
*Sassafras*  
*Ophiognomonia sassafras* 539  
*Schistocera*  
*Beauveria bassiana* 386  
*Scirpus*  
*Myriosclerotinia scirpicola* 886  
*Sclerotium*  
*Ascochyta mycoparasitica* 163  
*Scopaeus*  
*Corethromyces fuscipes* 325  
 minusculus 325  
 scopaei 325  
 scopaeicola 325  
 striatus 325  
*Stigmatomyces fuscipes* 330  
*Zeugandromyces australis* 325  
 orientalis 325  
*Selaginella*  
*Uredo vetus* 801  
*Sequoia*  
*Chloroscypha chloromela* 737  
*Sesbania*  
*Erratomyces ajmeriensis* 934  
 thirumalacharii 935  
*Protomycopsis ajmeriensis* 924  
 thirumalacharii 924  
*Sitona*  
*Beauveria bassiana* 385  
*Smithia*  
*Erratomyces smithiae* 935  
*Protomycopsis smithiae* 924  
*Solanum*  
*Synchytriumendobioticum* 772  
*Sophora*  
*Botryosphaeria mamane* 298  
*Sorghum*  
*Giberella fujikuroi* 643  
*Glomus gibbosum* 339  
 multiform 805  
 verruculosum 809  
 versiforme 610  
*Spartina*  
*Aureobasidium pullulans* 786  
*Sphenopholis*  
*Epichloë amarillans* 433  
*Spodoptera*  
*Beauveria bassiana* 385  
*Sporobolus*  
*Balansia epichloë* 409, 413  
*Steinernema*  
*Arthrobotrys oligospora* 221  
*Geniculifera paucispora* 221  
*Monacrosporium eudermatum* 221  
*Stellaria*  
*Melampsorella caryophyllacearum* 699  
*Stenotaphrum*  
*Gaeumannomyces graminis* var. *graminis* 590  
*Stereum*  
*Ascocodinaea stericola* 156  
*Stipa*  
*Atkinsonella texensis* 433  
*Symphytum*  
*Melampsorella symphyti* 699  
*Tilia*  
*Inocybe phaeocomis* var. *major* 681  
*Ophiognomonia melanostyla* 539  
*Sarcoscypha emarginata* 266  
*Trichoderma*  
*Ascochyta mycoparasitica* 169  
*Tridens*  
*Balansia epichloë* 417  
*Triticum*  
*Gaeumannomyces graminis* var. *tritici* 590  
*Tsuga*  
*Fabrella tusgae* 737  
*Naohidemyces* 703  
*Vaccinium*  
*Calypsotheca goeppertiana* 702  
*Colletotrichum acutatum* grp. A 424  
*Monilinia urnula* 886  
*Valdensinia heterodoxa* 887  
*Vespa*  
*Beauveria bassiana* 385  
*Vigna*  
*Entyloma vignae* 925  
*Erratomyces patelii* 933  
*Protomycopsis patelii* 924  
*Vitex*  
*Colletotrichum acutatum* grp. A 424  
*Vitis*  
*Capronia pulcherrima* 127  
*Colletotrichum acutatum* grp. A 424  
*Waitea*  
*Ascochyta mycoparasitica* 168  
*Xanthium*  
*Colletotrichum* spp. 427  
*Zonocerus*  
*Beauveria bassiana* 386  
*Zoysia*  
*Gaeumannomyces graminis* var. *graminis* 590



